



A [Tropical Birding](#) 18 Days Uganda Birding, Primates and
Wildlife Tour
November 22 – December 9, 2017 Custom Tour

Tour Leader: Crammy Wanyama
Report and photos by Crammy Wanyama



Rock Pratincole seen on the rocks at the base of Murchison Falls

Tour Summary

This tour was set to cover the traditional Uganda birding circuit, which starts and ends at Entebbe. Considering the habitats covered and the biomes encompassed, this is by far one of the best birding circuits in the region, indeed, the world! We did very well scoring 555 bird species, of which 537 were seen and 18 heard only, 53 mammals including two great apes and 10 Reptiles. The weather was generally great except for one day that we birded Mabamba in pursuit for the Shoebill. The scenery never disappointed and the people were welcoming at all points. A fantastic trip in brief.

The group arrived quite late the evening of **November 22, 2017**, making the day a no birding activity. We headed straight to our hotel in Kampala for a quick sleep prior to first birding the next day.

November 23, 2018: Birding Mabira Forest

The morning was introducing the group to tropical forest birding at Mabira Forest, which is basically a mid-elevation forest habitat with an impressive collection of typical lowland forest specialties of the Guinea-Congo forest biome. We were set for the short drive to Mabira forest by the time the African Thrush and White-browed Robin-chat started making their territorial announcement before the daybreak. Driving through the Kampala eastern suburbs, we recorded flocks of **Cattle Egrets** as they headed out of the day's feeding, one **African Thrush** singing on top of one of the roadside buildings and another in a jack fruit tree, **Common Bulbul** which we would see daily through out the trip, **Marabou Stork** individuals owning every vantage spot along the way, **Ruppell's Starling** just to mention but a few.

Upon arrival at Mabira, I can say we had quite an exceptional start; getting tuned into forest bird calls all around us, good looks at **Jameson's Wattle-eye**, **White-spotted Flufftail** which although is the commonest in the region, can be a piece of hard work in most cases. We also got good looks at the area's popular skulkers like **Lesser Bristlebill**, **Yellow-browed Camaroptera**, **Scaly-breasted Illadopsis**, the small and spectacular **Forest Robin** and **White-headed Woodhoopoe** and some really magnificent ones like **Great Blue Turaco** and **Black-and-white Casqued Hornbill** among the many.



We saw two Shoebills, both very wary hence not the best views.

November 24, 2017: Birding Mabamba Marshes and Transfer to Lake Mburo National Park.

We experienced the worst weather throughout the trip on this day, which was bad in all aspects considering the fact that we were going out to look for the Shoebill, which is East Africa's most famous avian resident. The drive added a few new birds to our list and reaching the landing, regular birds like **Hamerkop**, **Malachite Kingfisher**, **Viellot's, Village**, and **Black-headed Weavers** awaited us. The weather turned the Shoebill search into hard work for sure! It started raining, a few minutes later we approached our first **Shoebill** and this individual was as wary as the second one we encountered minutes later. This is usually not the case.

Two individual seen on grounds and in flight but not the sighting I can describe as a classic, although some members managed to get some record shots. Mabamba being one of the only two places that offer up to 80% chance for this prehistoric-looking bird, it proved this but the weather on this day did not comply in our favor.

A few other classic waterfowl were seen during the boat ride including a least expected **Caspian Tern** picked out of flocks of **White-winged** and **Gull-billed Terns**. From the waters, we proceeded to Lake Mburo National Park, doing a lunch stop at the famous Uganda equator stop for the equator experience. Several birds were added along the way, and a collection of scrub habitat **Cisticolas** at the turn towards the park and our lodge. Before we took our seats for dinner, we quickly scanned around the lodge's cool-looking boulders for some **nightjars** and managed to add **Freckled** and a distant **Greater Galago**, which is one of the Africa's small primates sometimes referred to as Bush Babies



Red-faced Barbet, an East African Endemic at Lake Mburo National Park

November 25, 2017: Birding Lake Mburo National Park

This day, we explored the woodland and thickets, which lay on the rolling hills of Uganda's smallest National Park. This is furthest north for some specialties of the Zambezi biome, and you can be in serious business when birding and pick up your **Red-faced** and **Crested Barbets** here, just like we did.

Our early breakfast in preparation for a boat ride was enjoyed in the company of a number of birds, among which were **Violet-backed Starling, Baglafecht, Holub's Golden, and Little Weavers and Purple-banded Sunbird**. The boat ride was a success; we got excellent views of three **African Finfoot** individuals and the skulky **Papyrus Gonolek** among many others. A pair of the gigantic **Verreaux's Eagle-Owl** was spotted at a temporary day roost they had chosen, and **Common Scimitarbill** was also among other birds and game seen on the afternoon to the evening drive.

November 26, 2017: Birding All Way to Ruhija of Bwindi Impenetrable National Park

Before proceeding southwest into the Albertine rift ranges, we took a morning walk around the nice accommodations' natural habitat and sighted a pair of stunning **Green-headed Sunbird**, very vocal and displaying **Tropical Boubou** and a pair of duetting **White-browed Robin-Chats** who did not cooperate to our appreciation. Continuing with the walk, we got very good views of **Crested Francolin, Brown Babbler, Chin-spot Batis**, a very sweet **African Pygmy Kingfisher** and **Sulphur-breasted Bush-shrike** plus **White-winged Black-Tit** which was a target on this walk. We went for our breakfast, which we enjoyed amidst excellent views of a pair of **Yellow-throated Greenbuls, White-headed Barbets** and much better views of other birds.



Herds of Plains Zebra and other game were enjoyed

We exited the park with **Plains Zebra**, **Common Eland** and **Impala** among other game seen but these three we would not show again for the rest of the trip. Our birding lunch stop, which was only a few minutes after Mbarara city, added **Little Rush Warbler** and **Red-faced Cisticola** to our growing list. We continued to Ruhija of Bwindi Impenetrable National Park, driving through the ranges to an elevation of 2300 meters above sea level from the morning's 1300. On the way to Ruhija, we added **Northern Fiscal**, a pair of extremely tough to observe **White-winged Swamp-warbler**, **Wire-tailed Swallow**, **Streaky Seedeater** and **Montane Nightjar** among others.

November 27, 2018: Mountain Gorilla Tracking and Optional Afternoon Birding.

From the morning of this day, we had one of the most exciting days of the trip because not many compare to the **Mountain Gorilla** tracking experience. Every one looks forward to seeing some of the world's only remaining eight hundred and sixty odd individuals of this threatened kingdom. The briefing for the activity started at 08:00hrs and everything was done by the book, we then started the walk into the forest 45 minutes later, getting to the Gorillas at about 10:15hrs. We first encountered Kabandize a young male referred to as a black-back who was laying on his back chilling after the early feeding session. After reasonably enough photos, we continued ahead to see more individuals; we met Happy and his father Rukara who is also the dominant Silverback male of Kyaguriro group/family.



Rukara the dominant Silverback of Kyaguriro Gorilla family

Our day was perfect when you meet the gorillas lazing about without too much frenetic activity, this is the best because you watch them grooming, turn all parts of their bodies, the lovely orange in the eyes especially when the sun shines in them and an overwhelming moment with five months old Mujulizi doing everything she could around her mother. What a moment!

After our designated hour's time with them, we had to leave them to enjoy their day by themselves, which is the at most time, a tourists group spends with these very graceful and endangered apes. On our way back, we ate our nice packed lunch as well as adding every possible bird that showed up. The morning revealed a couple of **Chubb's Cisticola**, **Northern Double-collared Sunbird**, **Northern Puff-back**, and a pair fly-by **African Grey Parrots** at breakfast, **White-necked Raven**, **Black Sawing**, **Waller's and Stuhlmann's Starlings**, **Rameron Pigeon**, and **Chestnut-throated Apalis** before the tracking experience. **Blue-headed** and **Purple-breasted Sunbird**, **Mackinnon's Shrike**, **Montane Oriole**, **Petit's Cuckoo-shrike**, **Bar-tailed Trogon**, the incomparably beautiful **Regal Sunbird**, **Grauer's Warbler**, **Rwenzori Batis**, **Red-faced Woodland Warbler**, **Luhder's Bush-shrike**, **Cinnamon-chested Bee-eater**, **African Hill-Babbler**, were all added during after the tracking session tracking.

November 28, 2017: Birding Mubwindi Swamp For Tougher Albertine Rift Endemics

This is quite a challenge, but also one of the best birding walks on the African continent. Despite the tough parts of the trail, the birds keep coming from the beginning to the end of the walk and yet the weather is always perfect for the birding activities. The walk mainly targets several of the rarest Albertine endemics with some endangered species among them being two mega highlights; **Grauer's Swamp Warbler** and **Grauer's Broadbill**; luck was on our side for both key birds!.



Grauer's Broadbill, a prime target for the challenging hikes to Mubwindi Swamp

November 29, 2017: Birding To Buhoma Through the "Neck"

We continued with our birding in Bwindi Impenetrable Forest but heading to a much lower elevation section called Buhoma. We birded through the famous "Neck" and along the Ruhija forest main road for some unfinished business. We needed to find the Handsome Francolin another Albertine Rift endemic which never showed up despite the effort. But we did add a few other specialties like **Cinnamon Bracken Warbler**, **Barred Long-tailed Cuckoo**, **Mountain Yellow Warbler**, along with other new ones that showed up. In the "Neck" we managed to easily add **Dusky-blue Flycatcher**, **Brown-throated Wattle-eye**, **Shelley's**, **Slender-billed** and **Gray Greenbul**, **Black Bee-eater**, **Green Sunbird**, and more. The tour continued to Buhoma and when approaching our lodge, we stopped at a favorite roost spot for **African Wood-owl**, and **nailed it!** We checked in at our accommodation then went for a 2-hour evening birding session at the Buhoma secondary forest section. Here we added **Many-colored** and

Grey-green Bush-shrikes, Green-throated Sunbird, the skulky Grey-winged Robin-chat, and Black-faced Rufous-Warbler.



Many-coloured Bush-Shrike and African Wood-Owl were seen at Buhoma

November 30, 2017: Birding Buhoma Another Section of Bwindi Impenetrable National Park

Doing a little of secondary forest and into the primary. A small flock early on yielded **Pink-footed Puffback**, and **Grey-throated Tit-Flycatcher**. We added **Dusky Long-tailed Cuckoo**, **Red-throated Alethe** and not the best views of **Neumann's Warbler**. **Willard's Sooty Boubou** and **Oberlander's Ground-Thrush** were only heard. We also enjoyed good views of **White-bellied Robin-Chat**, **Bar-tailed Trogon**, **White-tailed Ant-thrush**, and displaying **African Broadbill**.

December 1, 2017: Birding to Queen Elizabeth National Park

We started heading north after a quick morning walk in the secondary forest at Buhoma to add a few birds that did not get on our list the previous day. The first corporative ones were **Cabanis's Greenbuls** as they loudly announced their presence. Good views of **Tambourine Dove**, **African Emerald Cuckoo**, **Gray Apalis**, **Black-billed Weaver**, and **Buff-spotted Woodpecker**, all showing up in a mixed flock that brought several others. We proceeded to Queen Elizabeth National Park after five days of forest birding and here; we were heading into open country and a little warmer weather.

We birded all the way through the Ishasha sector picking up a few raptors, Cisticolas, and other grassland plus woodland birds.



Great Blue Turaco, of the members of its family seen on a few occasions

December 2, 2017: Birding Queen Elizabeth National Park and a Boat Ride Along the Kazinga Channel

Queen Elizabeth National Park at approximately 1900 square kilometers is Uganda's second largest National Park, but with the highest game and avifauna diversity, all attributed to its variety of habitats. A mammal list of over 100 species and a still growing list of over 620 bird species, no protected area compares to it in the region. Our morning birding game drive of December 2, 2017, took us to **Kob** lekking grounds where we saw huge herds of **African Buffalos** while we looked for the mighty lions, here, we ticked off some of our bird families like larks. We added several **pipits, raptors, African Bush Elephants** herds, and other game and grassland birds to our list before lunchtime. And after a fantastic packed lunch amidst big game, we headed for the very productive Kazinga Channel boats cruise from which we enjoyed huge and unusual bird congregation's observations. The Palearctic migratory shorebirds being in the country at this time of the year, we added several of them to our list during cruise.

December 3, 2017: Transfer to Kibale National Park and Birding Bigodi Wetland Sanctuary

We took a leisurely morning bird walk around our lodge before we sat for breakfast and managed to get acceptable views of the Near-threatened **Papyrus Gonolek, Marsh Tchagra** and **Black-chinned Quail-finch**. The walk amidst the best early morning light was a huge advantage to the photographers in the group. After breakfast, we proceeded to Kibale National Park reaching our

accommodation at lunchtime, we checked in and headed for a nice walk along a wetland. The Bigodi wetland walk is one of the countries most successful community based initiatives, and a good place to bird. We bettered our White-spotted Flufftail photography and had observation of six primate species.



Forest dwelling Blue-throated Roller seen at a few locations, best views at Budongo

December 4, 2017: Birding Kibale Forest and Chimpanzee Tracking

We set off very early, as it is the tradition for the best chances of Green-breasted Pitta, one of the continent's toughest birds. No call, no sighting at all, regardless the hard work. Driving there, least expected African Golden Cat crossed the road, adding one extremely rare mammal to our growing list. **Brown-chested Alethe, Red-tailed Ant-thrush, Red-tailed Bristlebill, Elliot's Woodpecker** and **Blue-breasted Kingfisher** were great birds to add to our list and a memorable Common Chimpanzee tracking experience. The visit to see our closest cousins was another very exciting experience, the members of the community we found were busy feeding except one Mr. Enfuzi who spent much of his time laid up on his back doing an easy late Monday morning. After good looks at him, we followed the rest for more facial observations and better photography opportunities. By the time our session elapsed, we had seen 24 individuals from a community of over 120! With weather limitations we managed to get good views of the canopy dwelling **Afep Pigeon, Yellow-mantled Weaver**, and several primates shows during our late afternoon roadside birding.

December 5, 2017: Transferring to Masindi For Birding The Royal Mile

This day, we did a lengthy drive to the north. A quick stop at Sebitore, which is the other section of Kibale forest, locked us into eye contact with **Cassin's Honeyguide, White-napped Pigeon, Blue-throated Roller**, and very good views of **Forest Weaver**. Several stops along the way, gave us looks at **Booted Eagle, African Firefinch, Northern Red-Bishop, Lesser Blue-eared Starling** and **Brown-backed Scrub-Robin**.



Chocolate-backed Kingfisher is one of the major targets for the Royal Mile

December 6, 2017: Birding The Royal Mile of Budongo Forest

The forest here offers a complete range of restricted species and this is because of its positioning in close proximity to the Ituri Forest of Democratic Republic of Congo. Driving there, we got good views of **Compact Weaver**, and a very well sun-lit **Cabanis's Bunting**. We took to the trail and started collecting most of the targets including very decent views of the very challenging and canopy dwelling **Chocolate-backed Kingfisher, Ituri Batis** and **Uganda Woodland Warbler**.

December 7, 2017: Birding to Murchison Falls National Park via the Escarpment

It was time to visit our last destination of the trip: Murchison Falls National Park at approximately 3,800sqkm is Uganda largest National Park. Completely different habitats, biomes, a much lower elevation ranging between 615 to 650 meters above sea level and a relatively different weather. We went through the

Butiaba escarpment to tick off more of cisticolas, weavers and several other families' individuals. **Cut-throat** and **Wilson's Indigobird** were really appreciated by the group. We proceeded into the park, getting there in good time to cross the mighty River Nile with the ferry in good time for a two hours birding game drive. A very scenic drive in the golden light is probably the best way to start a tour around a savannah and woodland park, we enjoyed fine looks at **Rothschild's Giraffe**, **Lelwel's Hartebeest**, **Oribi** which is one of the smallest savannah antelopes, a pair of hunting **Red-necked Falcon**, **Grey Kestrel** and more birds among which were a few open country Palearctic migrants.



Cabanis's Bunting

December 8, 2017: Birding Murchison Falls National Park

Having not seen Lions at Queen Elizabeth National Park, the December 8, 2017 birding game drive was our only chance left! The group really showed reasonable interest in wanting to see them, and after the previous late afternoon birding drive in the first bit of the northern bank, we were not going to miss out on much. The plan was to drive into the lekking grounds of Uganda Kobs, which is actually the Lion's prime diet in this park. This is usually a very wildlife-filled drive, we got to see **African Elephants** in good numbers, impressive numbers of Rothschild's Giraffes as they stood out with their long necks and elegant structures at almost every corner that our eyes could reach. Our lion search adventure also became a success after another game viewer tipped us about the presence of a Lioness with her two cubs. We later returned to our Lodge for a decent lunch, after which we took a three hour afternoon boat ride to the base of Murchison Falls. This boat ride on Victoria Nile along the White Nile gets you to

the base of one of Africa's most powerful waterfalls formed as a result of the world's longest river dropping forty meters through a narrow gap of about only eight meters at a force I can hardly describe. At the bottom, we had the breathtaking views, a happy number of 4 group members celebrating their 3000-world bird in a single trip. This was not just an ordinary birding trip!



Rattling Cisticola, we saw several species of the same family

We headed for an evening game drive with **Giant Kingfisher**, **Northern Carmine Bee-Eater**, **Senegal Thick-knee** and **Rock Pratincole** on our list from the boat ride. The Lion family was still at the same morning spot, the young ones showing up much better and once darkness fell, we added some cool mammals to our list; Marsh & White-tailed Mongoose, Blotched Genet, Bunyoro Rabbit and a pair of very territorial **Swamp Nightjar**.

December 9, 2017: Birding to Entebbe for Departure via The Top of Murchison Falls

Being the last day of the trip with flights scheduled that night, we birded towards the top of Murchison Falls for a more dramatic view. And on leaving the park a few birds that were late but great surprises included soaring views of **Ayre's Hawk-Eagle** and **Booted Eagle**. We continued on our way through Masindi town, scanning for Shoebill in the marshes past the town, in vain! Good views of **White-browed Sparrow-Weavers** at one of the stops while working hard for White-crested Turaco which we never got lucky with. Being a Saturday late afternoon, the drive through Kampala was quite and easy one.

A successful trip is a result of team work, many thanks to Desiree, Shallon and Herbert for systematically organizing the trip, a very corporative birding team, very helpful and friendly site guides – Amos, Mathew, Gerald, Raymond, and all rangers of Uganda Wildlife Authority I worked with.

Bird Checklist

Order by

Checklist Order, common and scientific names are those by J.F. Clements, Birds of the World Version 2016 with all current updates. Extracted from Avibase – The world bird database.

Abbreviation: **H** in the column is for Heard only

ANSERIFORMES: Anatidae		
White-faced Whistling-Duck	<i>Dendrocygna viduata</i>	
Comb Duck	<i>Sarkidiornis melanotos</i>	
Egyptian Goose	<i>Alopochen aegyptiaca</i>	
Spur-winged Goose	<i>Plectropterus gambensis</i>	
Yellow-billed Duck	<i>Anas undulata</i>	
GALLIFORMES: Numididae		
Helmeted Guineafowl	<i>Numida meleagris</i>	
Crested Guineafowl	<i>Guttera pucherani</i>	
GALLIFORMES: Phasianidae		
Harlequin Quail	<i>Coturnix delegorguei</i>	
Heuglin's Francolin	<i>Pternistis icterorhynchus</i>	
Red-necked Francolin	<i>Pternistis afer</i>	
Crested Francolin	<i>Francolinus sephaena</i>	
CICONIIFORMES: Ciconiidae		
African Openbill	<i>Anastomus lamelligerus</i>	
Abdim's Stork	<i>Ciconia abdimii</i>	

Woolly-necked Stork	<i>Ciconia episcopus</i>	
Saddle-billed Stork	<i>Ephippiorhynchus senegalensis</i>	
Marabou Stork	<i>Leptoptilos crumenifer</i>	
Yellow-billed Stork	<i>Mycteria ibis</i>	
SULIFORMES: Phalacrocoracidae		
Long-tailed Cormorant	<i>Microcarbo africanus</i>	
Great Cormorant	<i>Phalacrocorax carbo</i>	
SULIFORMES: Anhingidae		
African Darter	<i>Anhinga rufa</i>	
PELECANIFORMES: Pelecanidae		
Great White Pelican	<i>Pelecanus onocrotalus</i>	
Pink-backed Pelican	<i>Pelecanus rufescens</i>	
PELECANIFORMES: Balaenicipitidae		
Shoebill - One of East Africa's most sought after avian residents. 2 individuals seen at Mabamba	<i>Balaeniceps rex</i>	
PELECANIFORMES: Scopidae		
Hamerkop	<i>Scopus umbretta</i>	
PELECANIFORMES: Ardeidae		
Little Bittern	<i>Ixobrychus minutus</i>	
Gray Heron	<i>Ardea cinerea</i>	
Black-headed Heron	<i>Ardea melanocephala</i>	
Goliath Heron	<i>Ardea goliath</i>	
Purple Heron	<i>Ardea purpurea</i>	

Great Egret	<i>Ardea alba</i>	
Intermediate Egret	<i>Mesophoyx intermedia</i>	
Little Egret	<i>Egretta garzetta</i>	
Cattle Egret	<i>Bubulcus ibis</i>	
Squacco Heron	<i>Ardeola ralloides</i>	
Rufous-bellied Heron	<i>Ardeola rufiventris</i>	
Striated Heron	<i>Butorides striata</i>	
PELECANIFORMES: Threskiornithidae		
Sacred Ibis	<i>Threskiornis aethiopicus</i>	
Hadada Ibis	<i>Bostrychia hagedash</i>	
African Spoonbill	<i>Platalea alba</i>	
ACCIPITRIFORMES: Pandionidae		
Osprey	<i>Pandion haliaetus</i>	
ACCIPITRIFORMES: Accipitridae		
Black-shouldered Kite	<i>Elanus caeruleus</i>	
African Harrier-Hawk	<i>Polyboroides typus</i>	
Palm-nut Vulture	<i>Gypohierax angolensis</i>	
White-headed Vulture	<i>Trigonoceps occipitalis</i>	
Lappet-faced Vulture	<i>Torgos tracheliotos</i>	
Hooded Vulture	<i>Necrosyrtes monachus</i>	
White-backed Vulture	<i>Gyps africanus</i>	
Rüppell's Griffon	<i>Gyps rueppelli</i>	
Bateleur	<i>Terathopius ecaudatus</i>	
Black-breasted Snake-Eagle	<i>Circaetus pectoralis</i>	
Brown Snake-Eagle	<i>Circaetus cinereus</i>	
Banded Snake-Eagle	<i>Circaetus cinerascens</i>	
Crowned Eagle	<i>Stephanoaetus coronatus</i>	

Martial Eagle	<i>Polemaetus bellicosus</i>	
Long-crested Eagle	<i>Lophaetus occipitalis</i>	
Lesser Spotted Eagle	<i>Clanga pomarina</i>	
Wahlberg's Eagle	<i>Hieraaetus wahlbergi</i>	
Booted Eagle	<i>Hieraaetus pennatus</i>	
Ayres's Hawk-Eagle	<i>Hieraaetus ayresii</i>	
Tawny Eagle	<i>Aquila rapax</i>	
Steppe Eagle	<i>Aquila nipalensis</i>	
Cassin's Hawk-Eagle	<i>Aquila africana</i>	
African Hawk-Eagle	<i>Aquila spilogaster</i>	
Lizard Buzzard	<i>Kaupifalco monogrammicus</i>	
Dark Chanting-Goshawk	<i>Melierax metabates</i>	
Gabar Goshawk	<i>Micronisus gabar</i>	
Eurasian Marsh-Harrier	<i>Circus aeruginosus</i>	
African Marsh-Harrier	<i>Circus ranivorus</i>	
Pallid Harrier	<i>Circus macrourus</i>	
Montagu's Harrier	<i>Circus pygargus</i>	
African Goshawk	<i>Accipiter tachiro</i>	
Shikra	<i>Accipiter badius</i>	
Black Goshawk	<i>Accipiter melanoleucus</i>	
Black Kite	<i>Milvus migrans</i>	
African Fish-Eagle	<i>Haliaeetus vocifer</i>	
Common Buzzard	<i>Buteo buteo</i>	
Augur Buzzard	<i>Buteo augur</i>	
OTIDIFORMES: Otididae		
Black-bellied Bustard	<i>Lissotis melanogaster</i>	
GRUIFORMES: Rallidae		
Black Crake	<i>Zapornia flavirostra</i>	

African Swamphen	<i>Porphyrio madagascariensis</i>	
GRUIFORMES: Sarothruridae		
White-spotted Flufftail	<i>Sarothrura pulchra</i>	
GRUIFORMES: Heliornithidae		
African Finfoot	<i>Podica senegalensis</i>	
GRUIFORMES: Gruidae		
Gray Crowned-Crane	<i>Balearica regulorum</i>	
CHARADRIIFORMES: Burhinidae		
Water Thick-knee	<i>Burhinus vermiculatus</i>	
Senegal Thick-knee	<i>Burhinus senegalensis</i>	
CHARADRIIFORMES: Recurvirostridae		
Black-winged Stilt	<i>Himantopus himantopus</i>	
CHARADRIIFORMES: Charadriidae		
Long-toed Lapwing	<i>Vanellus crassirostris</i>	
Spur-winged Lapwing	<i>Vanellus spinosus</i>	
Senegal Lapwing	<i>Vanellus lugubris</i>	
Crowned Lapwing	<i>Vanellus coronatus</i>	
Wattled Lapwing	<i>Vanellus senegallus</i>	
Kittlitz's Plover	<i>Charadrius pecuarius</i>	
Common Ringed Plover	<i>Charadrius hiaticula</i>	
CHARADRIIFORMES: Jacanidae		
Lesser Jacana	<i>Microparra capensis</i>	
African Jacana	<i>Actophilornis africanus</i>	

CHARADRIIFORMES: Scolopacidae		
Black-tailed Godwit	<i>Limosa limosa</i>	
Ruddy Turnstone	<i>Arenaria interpres</i>	
Ruff	<i>Calidris pugnax</i>	
Curlew Sandpiper	<i>Calidris ferruginea</i>	
Little Stint	<i>Calidris minuta</i>	
Common Sandpiper	<i>Actitis hypoleucos</i>	
Green Sandpiper	<i>Tringa ochropus</i>	
Common Greenshank	<i>Tringa nebularia</i>	
Marsh Sandpiper	<i>Tringa stagnatilis</i>	
Wood Sandpiper	<i>Tringa glareola</i>	
CHARADRIIFORMES: Turnicidae		
Small Buttonquail	<i>Turnix sylvaticus</i>	H
CHARADRIIFORMES: Glareolidae		
Temminck's Courser	<i>Cursorius temminckii</i>	
Collared Pratincole	<i>Glareola pratincola</i>	
Rock Pratincole	<i>Glareola nuchalis</i>	
CHARADRIIFORMES: Laridae		
Slender-billed Gull	<i>Chroicocephalus genei</i>	
Gray-hooded Gull	<i>Chroicocephalus cirrocephalus</i>	
Black-headed Gull	<i>Chroicocephalus ridibundus</i>	
Herring Gull	<i>Larus argentatus</i>	
Lesser Black-backed Gull	<i>Larus fuscus</i>	
Gull-billed Tern	<i>Gelochelidon nilotica</i>	
Caspian Tern	<i>Hydroprogne caspia</i>	
White-winged Tern	<i>Chlidonias leucopterus</i>	

African Skimmer	<i>Rynchops flavirostris</i>	
COLUMBIFORMES: Columbidae		
Rock Pigeon	<i>Columba livia</i>	
Speckled Pigeon	<i>Columba guinea</i>	
Afep Pigeon	<i>Columba uncinata</i>	
Rameron Pigeon	<i>Columba arquatrix</i>	
Bronze-naped Pigeon	<i>Columba iriditorques</i>	
White-naped Pigeon	<i>Columba albinucha</i>	
Mourning Collared-Dove	<i>Streptopelia decipiens</i>	
Red-eyed Dove	<i>Streptopelia semitorquata</i>	
Ring-necked Dove	<i>Streptopelia capicola</i>	
Vinaceous Dove	<i>Streptopelia vinacea</i>	
Laughing Dove	<i>Streptopelia senegalensis</i>	
Emerald-spotted Wood-Dove	<i>Turtur chalcospilos</i>	
Black-billed Wood-Dove	<i>Turtur abyssinicus</i>	
Blue-spotted Wood-Dove	<i>Turtur afer</i>	
Tambourine Dove	<i>Turtur tympanistria</i>	
Namaqua Dove	<i>Oena capensis</i>	
African Green-Pigeon	<i>Treron calvus</i>	
CUCULIFORMES: Musophagidae		
Great Blue Turaco	<i>Corythaeola cristata</i>	
Black-billed Turaco	<i>Tauraco schuettii</i>	
Ross's Turaco	<i>Musophaga rossae</i>	
Bare-faced Go-away-bird	<i>Corythaixoides personatus</i>	
Eastern Plantain-eater	<i>Crinifer zonurus</i>	
CUCULIFORMES: Cuculidae		
Blue-headed Coucal	<i>Centropus monachus</i>	

White-browed Coucal	<i>Centropus superciliosus</i>	
Blue Malkoha	<i>Ceuthmochares aereus</i>	
Levaillant's Cuckoo	<i>Clamator levaillantii</i>	
Dideric Cuckoo	<i>Chrysococcyx caprius</i>	
Klaas's Cuckoo	<i>Chrysococcyx klaas</i>	
African Emerald Cuckoo	<i>Chrysococcyx cupreus</i>	
Dusky Long-tailed Cuckoo	<i>Cercococcyx mechowi</i>	
Olive Long-tailed Cuckoo	<i>Cercococcyx olivinus</i>	
Barred Long-tailed Cuckoo	<i>Cercococcyx montanus</i>	
Black Cuckoo	<i>Cuculus clamosus</i>	H
Red-chested Cuckoo	<i>Cuculus solitarius</i>	
African Cuckoo	<i>Cuculus gularis</i>	
STRIGIFORMES: Strigidae		
Verreaux's Eagle-Owl	<i>Bubo lacteus</i>	
African Wood-Owl	<i>Strix woodfordii</i>	
CAPRIMULGIFORMES: Caprimulgidae		
Black-shouldered Nightjar	<i>Caprimulgus nigriscapularis</i>	
Montane Nightjar	<i>Caprimulgus ruwenzorii</i>	
Swamp Nightjar	<i>Caprimulgus natalensis</i>	
Freckled Nightjar	<i>Caprimulgus tristigma</i>	
Square-tailed Nightjar	<i>Caprimulgus fossii</i>	H
CAPRIMULGIFORMES: Apodidae		
Sabine's Spinetail	<i>Rhaphidura sabini</i>	
Cassin's Spinetail	<i>Neafrapus cassini</i>	
Alpine Swift	<i>Apus melba</i>	
Mottled Swift	<i>Apus aequatorialis</i>	
Common Swift	<i>Apus apus</i>	

African Swift	<i>Apus barbatus</i>	
Little Swift	<i>Apus affinis</i>	
Horus Swift	<i>Apus horus</i>	
White-rumped Swift	<i>Apus caffer</i>	
African Palm-Swift	<i>Cypsiurus parvus</i>	
COLIIFORMES: Coliidae		
Speckled Mousebird	<i>Colius striatus</i>	
Blue-naped Mousebird	<i>Urocolius macrourus</i>	
TROGONIFORMES: Trogonidae		
Narina Trogon	<i>Apaloderma narina</i>	
Bar-tailed Trogon	<i>Apaloderma vittatum</i>	
BUCEROTIFORMES: Upupidae		
Eurasian Hoopoe	<i>Upupa epops</i>	
BUCEROTIFORMES: Phoeniculidae		
Green Woodhoopoe	<i>Phoeniculus purpureus</i>	
White-headed Woodhoopoe	<i>Phoeniculus bollei</i>	H
Forest Woodhoopoe	<i>Phoeniculus castaneiceps</i>	
Common Scimitarbill	<i>Rhinopomastus cyanomelas</i>	
BUCEROTIFORMES: Bucorvidae		
Abyssinian Ground-Hornbill	<i>Bucorvus abyssinicus</i>	
BUCEROTIFORMES: Bucerotidae		
Crowned Hornbill	<i>Lophoceros alboterminatus</i>	
African Pied Hornbill	<i>Lophoceros fasciatus</i>	
African Gray Hornbill	<i>Lophoceros nasutus</i>	

Black-and-white-casqued Hornbill	<i>Bycanistes subcylindricus</i>	
White-thighed Hornbill	<i>Bycanistes albotibialis</i>	
CORACIIFORMES: Alcedinidae		
Shining-blue Kingfisher	<i>Alcedo quadibrachys</i>	
Malachite Kingfisher	<i>Corythornis cristatus</i>	
African Pygmy-Kingfisher	<i>Ispidina picta</i>	
Chocolate-backed Kingfisher	<i>Halcyon badia</i>	
Gray-headed Kingfisher	<i>Halcyon leucocephala</i>	
Woodland Kingfisher	<i>Halcyon senegalensis</i>	
Blue-breasted Kingfisher	<i>Halcyon malimbica</i>	
Striped Kingfisher	<i>Halcyon chelicuti</i>	
Giant Kingfisher	<i>Megaceryle maxima</i>	
Pied Kingfisher	<i>Ceryle rudis</i>	
CORACIIFORMES: Meropidae		
Black Bee-eater	<i>Merops gularis</i>	
Red-throated Bee-eater	<i>Merops bulocki</i>	
Little Bee-eater	<i>Merops pusillus</i>	
Cinnamon-chested Bee-eater	<i>Merops oreobates</i>	
Swallow-tailed Bee-eater	<i>Merops hirundineus</i>	
White-throated Bee-eater	<i>Merops albicollis</i>	
Blue-cheeked Bee-eater	<i>Merops persicus</i>	
European Bee-eater	<i>Merops apiaster</i>	
Northern Carmine Bee-eater	<i>Merops nubicus</i>	
CORACIIFORMES: Coraciidae		
Lilac-breasted Roller	<i>Coracias caudatus</i>	
Broad-billed Roller	<i>Eurystomus glaucurus</i>	
Blue-throated Roller	<i>Eurystomus gularis</i>	

PICIFORMES: Lybiidae		
Yellow-billed Barbet	<i>Trachyphonus purpuratus</i>	
Crested Barbet	<i>Trachyphonus vaillantii</i>	
Gray-throated Barbet	<i>Gymnobucco bonapartei</i>	
Speckled Tinkerbird	<i>Pogoniulus scolopaceus</i>	
Yellow-throated Tinkerbird	<i>Pogoniulus subsulphureus</i>	
Yellow-rumped Tinkerbird	<i>Pogoniulus bilineatus</i>	
Yellow-fronted Tinkerbird	<i>Pogoniulus chrysoconus</i>	
Yellow-spotted Barbet	<i>Buccanodon duchaillui</i>	
Hairy-breasted Barbet	<i>Tricholaema hirsuta</i>	
Spot-flanked Barbet	<i>Tricholaema lacrymosa</i>	
White-headed Barbet	<i>Lybius leucocephalus</i>	
Red-faced Barbet	<i>Lybius rubrifacies</i>	
Black-billed Barbet	<i>Lybius guifsobalito</i>	
Double-toothed Barbet	<i>Lybius bidentatus</i>	
PICIFORMES: Indicatoridae		
Cassin's Honeyguide	<i>Prodotiscus insignis</i>	
Dwarf Honeyguide	<i>Indicator pumilio</i>	H
Willcocks's Honeyguide	<i>Indicator willcocksii</i>	
Greater Honeyguide	<i>Indicator indicator</i>	
PICIFORMES: Picidae		
Rufous-necked Wryneck	<i>Jynx ruficollis</i>	
Nubian Woodpecker	<i>Campethera nubica</i>	
Tullberg's Woodpecker	<i>Campethera tullbergi</i>	
Buff-spotted Woodpecker	<i>Campethera nivosa</i>	
Brown-eared Woodpecker	<i>Campethera caroli</i>	
Speckle-breasted Woodpecker	<i>Dendropicos poecilolaemus</i>	

Cardinal Woodpecker	<i>Dendropicos fuscescens</i>	
Elliot's Woodpecker	<i>Dendropicos elliotii</i>	
African Gray Woodpecker	<i>Dendropicos goertae</i>	
FALCONIFORMES: Falconidae		
Eurasian Kestrel	<i>Falco tinnunculus</i>	
Gray Kestrel	<i>Falco ardosiaceus</i>	
Red-necked Falcon	<i>Falco chicquera</i>	
Eurasian Hobby	<i>Falco subbuteo</i>	
African Hobby	<i>Falco cuvierii</i>	
PSITTACIFORMES: Psittaculidae		
Red-headed Lovebird	<i>Agapornis pullarius</i>	
PSITTACIFORMES: Psittacidae		
Gray Parrot	<i>Psittacus erithacus</i>	
Meyer's Parrot	<i>Poicephalus meyeri</i>	
PASSERIFORMES: Calyptomenidae		
African Broadbill	<i>Smithornis capensis</i>	
PASSERIFORMES: Eurylaimidae		
Grauer's Broadbill - Albertine Rift Endemic (ARE). 2 individuals seen on the Mubwindi swamp walk at Bwindi Impenetrable National Park (BINP)	<i>Pseudocalyptomena graueri</i>	
PASSERIFORMES: Platysteiridae		
Brown-throated Wattle-eye	<i>Platysteira cyanea</i>	
Chestnut Wattle-eye	<i>Platysteira castanea</i>	

Ruwenzori Batis -- ARE- seen twice at Ruhija of BINP	<i>Batis diops</i>	
Chinspot Batis	<i>Batis molitor</i>	
Black-headed Batis	<i>Batis minor</i>	
Ituri Batis	<i>Batis ituriensis</i>	
PASSERIFORMES: Vangidae		
African Shrike-flycatcher	<i>Megabyas flammulatus</i>	
Black-and-white Shrike-flycatcher	<i>Bias musicus</i>	
PASSERIFORMES: Malaconotidae		
Brubru	<i>Nilaus afer</i>	
Northern Puffback	<i>Dryoscopus gambensis</i>	
Pink-footed Puffback	<i>Dryoscopus angolensis</i>	
Marsh Tchagra	<i>Tchagra minutus</i>	
Black-crowned Tchagra	<i>Tchagra senegalus</i>	
Brown-crowned Tchagra	<i>Tchagra australis</i>	
Luehder's Bushshrike	<i>Laniarius luehderi</i>	
Tropical Boubou	<i>Laniarius major</i>	
Black-headed Gonolek	<i>Laniarius erythrogaster</i>	
Papyrus Gonolek	<i>Laniarius mufumbiri</i>	
Slate-colored Boubou	<i>Laniarius funebris</i>	
Willard's Sooty Boubou - ARE heard at Buhoma	<i>Laniarius willardi</i>	H
Mountain Sooty Boubou	<i>Laniarius poensis</i>	H
Gray-green Bushshrike	<i>Telophorus bocagei</i>	
Sulphur-breasted Bushshrike	<i>Telophorus sulfureopectus</i>	
Many-colored Bushshrike	<i>Telophorus multicolor</i>	
Doherty's Bushshrike	<i>Telophorus dohertyi</i>	H

PASSERIFORMES: Campephagidae		
Gray Cuckooshrike	<i>Coracina caesia</i>	
Black Cuckooshrike	<i>Campephaga flava</i>	
Petit's Cuckooshrike	<i>Campephaga petiti</i>	
Red-shouldered Cuckooshrike	<i>Campephaga phoenicea</i>	
PASSERIFORMES: Laniidae		
Isabelline Shrike	<i>Lanius isabellinus</i>	
Gray-backed Fiscal	<i>Lanius excubitoroides</i>	
Mackinnon's Shrike	<i>Lanius mackinnoni</i>	
Northern Fiscal	<i>Lanius humeralis</i>	
PASSERIFORMES: Oriolidae		
Western Black-headed Oriole	<i>Oriolus brachyrhynchus</i>	
African Black-headed Oriole	<i>Oriolus larvatus</i>	
Black-tailed Oriole	<i>Oriolus percivali</i>	
PASSERIFORMES: Dicruridae		
Fork-tailed Drongo	<i>Dicrurus adsimilis</i>	
Velvet-mantled Drongo	<i>Dicrurus modestus</i>	
PASSERIFORMES: Monarchidae		
Black-headed Paradise-Flycatcher	<i>Terpsiphone rufiventer</i>	
African Paradise-Flycatcher	<i>Terpsiphone viridis</i>	
PASSERIFORMES: Corvidae		
Piapiac	<i>Ptilostomus afer</i>	
Pied Crow	<i>Corvus albus</i>	
White-necked Raven	<i>Corvus albicollis</i>	

PASSERIFORMES: Nicatoridae		
Western Nicator	<i>Nicator chloris</i>	
PASSERIFORMES: Alaudidae		
Rufous-naped Lark	<i>Mirafraga africana</i>	
Flappet Lark	<i>Mirafraga rufocinnamomea</i>	
White-tailed Lark	<i>Mirafraga albicauda</i>	
Red-capped Lark	<i>Calandrella cinerea</i>	
PASSERIFORMES: Hirundinidae		
Bank Swallow	<i>Riparia riparia</i>	
Banded Martin	<i>Riparia cincta</i>	
Rock Martin	<i>Ptyonoprogne fuligula</i>	
Barn Swallow	<i>Hirundo rustica</i>	
Angola Swallow	<i>Hirundo angolensis</i>	
Wire-tailed Swallow	<i>Hirundo smithii</i>	
Red-rumped Swallow	<i>Cecropis daurica</i>	
Lesser Striped-Swallow	<i>Cecropis abyssinica</i>	
Rufous-chested Swallow	<i>Cecropis semirufa</i>	
Mosque Swallow	<i>Cecropis senegalensis</i>	
Common House-Martin	<i>Delichon urbicum</i>	
White-headed Sawwing	<i>Psalidoprocne albiceps</i>	
Black Sawwing	<i>Psalidoprocne pristoptera</i>	
PASSERIFORMES: Stenostiridae		
African Blue-Flycatcher	<i>Elminia longicauda</i>	
White-tailed Blue-Flycatcher	<i>Elminia albicauda</i>	
PASSERIFORMES: Paridae		
White-winged Black-Tit	<i>Melaniparus leucomelas</i>	

Dusky Tit	<i>Melaniparus funereus</i>	
Stripe-breasted Tit - ARE seen twice at Ruhija	<i>Melaniparus fasciiventer</i>	
PASSERIFORMES: Remizidae		
African Penduline-Tit	<i>Anthoscopus caroli</i>	
PASSERIFORMES: Pycnonotidae		
Slender-billed Greenbul	<i>Stelgidillas gracilirostris</i>	
Red-tailed Bristlebill	<i>Bleda syndactylus</i>	
Lesser Bristlebill	<i>Bleda notatus</i>	
Shelley's Greenbul	<i>Arizelocichla masukuensis</i>	
Eastern Mountain-Greenbul	<i>Arizelocichla nigriceps</i>	
Honeyguide Greenbul	<i>Baeopogon indicator</i>	
Yellow-throated Greenbul	<i>Atimastillas flavicollis</i>	
Red-tailed Greenbul	<i>Criniger calurus</i>	
Gray Greenbul	<i>Eurillas gracilis</i>	
Ansorge's Greenbul	<i>Eurillas ansorgei</i>	
Plain Greenbul	<i>Eurillas curvirostris</i>	
Yellow-whiskered Greenbul	<i>Eurillas latirostris</i>	
Little Greenbul	<i>Eurillas virens</i>	
Toro Olive-Greenbul	<i>Phyllastrephus hypochloris</i>	
Cabanis's Greenbul	<i>Phyllastrephus cabanisi</i>	
White-throated Greenbul	<i>Phyllastrephus albigularis</i>	
Yellow-streaked Greenbul	<i>Phyllastrephus flavostriatus</i>	
Common Bulbul	<i>Pycnonotus barbatus</i>	
PASSERIFORMES: Macrosphenidae		
Green Crombec	<i>Sylvietta virens</i>	
Lemon-bellied Crombec	<i>Sylvietta denti</i>	

White-browed Crombec	<i>Sylvietta leucophrys</i>	
Northern Crombec	<i>Sylvietta brachyura</i>	
Red-faced Crombec	<i>Sylvietta whytii</i>	
Moustached Grass-Warbler	<i>Melocichla mentalis</i>	
Yellow Longbill	<i>Macrosphenus flavicans</i>	
Gray Longbill	<i>Macrosphenus concolor</i>	
Grauer's Warbler - ARE seen at Ruhija	<i>Graueria vittata</i>	
Green Hylia	<i>Hylia prasina</i>	
PASSERIFORMES: Cettiidae		
Chestnut-capped Flycatcher	<i>Erythrocerus mccallii</i>	
Neumann's Warbler - ARE seen twice at Buhoma	<i>Urosphena neumanni</i>	
PASSERIFORMES: Phylloscopidae		
Red-faced Woodland-Warbler - ARE seen thrice at Ruhija	<i>Phylloscopus laetus</i>	
Uganda Woodland-Warbler	<i>Phylloscopus budongoensis</i>	
Willow Warbler	<i>Phylloscopus trochilus</i>	
PASSERIFORMES: Acrocephalidae		
African Yellow-Warbler	<i>Iduna natalensis</i>	H
Mountain Yellow-Warbler	<i>Iduna similis</i>	
Sedge Warbler	<i>Acrocephalus schoenobaenus</i>	
Eurasian Reed-Warbler	<i>Acrocephalus scirpaceus</i>	
African Reed-Warbler	<i>Acrocephalus baeticatus</i>	
Lesser Swamp-Warbler	<i>Acrocephalus gracilirostris</i>	H
Greater Swamp-Warbler	<i>Acrocephalus rufescens</i>	
PASSERIFORMES: Locustellidae		

Evergreen-forest Warbler	<i>Bradypterus lopezi</i>	H
Cinnamon Bracken-Warbler	<i>Bradypterus cinnamomeus</i>	
Grauer's Swamp-Warbler - ARE seen at Mwindi Marsh	<i>Bradypterus graueri</i>	
Little Rush-Warbler	<i>Bradypterus baboecala</i>	
White-winged Swamp-Warbler	<i>Bradypterus carpalis</i>	
PASSERIFORMES: Cisticolidae		
Ruwenzori Apalis - ARE seen twice at Ruhija	<i>Apalis ruwenzorii</i>	
Black-throated Apalis	<i>Apalis jacksoni</i>	
Black-faced Apalis - ARE seen thrice at Ruhija	<i>Apalis personata</i>	
Yellow-breasted Apalis	<i>Apalis flavida</i>	
Buff-throated Apalis	<i>Apalis rufogularis</i>	
Chestnut-throated Apalis	<i>Apalis porphyrolaema</i>	
Gray Apalis	<i>Apalis cinerea</i>	
Green-backed Camaroptera	<i>Camaroptera brachyura</i>	
Yellow-browed Camaroptera	<i>Camaroptera superciliaris</i>	
Olive-green Camaroptera	<i>Camaroptera chloronota</i>	
White-chinned Prinia	<i>Schistolais leucopogon</i>	
Red-faced Cisticola	<i>Cisticola erythrops</i>	
Singing Cisticola	<i>Cisticola cantans</i>	
Whistling Cisticola	<i>Cisticola lateralis</i>	
Trilling Cisticola	<i>Cisticola woosnami</i>	
Chubb's Cisticola	<i>Cisticola chubbi</i>	
Rattling Cisticola	<i>Cisticola chiniana</i>	
Winding Cisticola	<i>Cisticola galactotes</i>	
Carruthers's Cisticola	<i>Cisticola carruthersi</i>	
Stout Cisticola	<i>Cisticola robustus</i>	
Croaking Cisticola	<i>Cisticola natalensis</i>	

Siffling Cisticola	<i>Cisticola brachypterus</i>	
Zitting Cisticola	<i>Cisticola juncidis</i>	
Wing-snapping Cisticola	<i>Cisticola ayresii</i>	
Gray-capped Warbler	<i>Eminia lepida</i>	
Black-faced Rufous-Warbler	<i>Bathmocercus rufus</i>	
Buff-bellied Warbler	<i>Phyllolais pulchella</i>	
Tawny-flanked Prinia	<i>Prinia subflava</i>	
Banded Prinia	<i>Prinia bairdii</i>	
Green-backed Eremomela	<i>Eremomela canescens</i>	
Rufous-crowned Eremomela	<i>Eremomela badiceps</i>	
PASSERIFORMES: Sylviidae		
African Hill Babbler	<i>Sylvia abyssinica</i>	
Eurasian Blackcap	<i>Sylvia atricapilla</i>	
Garden Warbler	<i>Sylvia borin</i>	
PASSERIFORMES: Zosteropidae		
African Yellow White-eye	<i>Zosterops senegalensis</i>	
PASSERIFORMES: Pellorneidae		
Brown Illadopsis	<i>Illadopsis fulvescens</i>	H
Mountain Illadopsis	<i>Illadopsis pyrrhoptera</i>	
Scaly-breasted Illadopsis	<i>Illadopsis albipectus</i>	
PASSERIFORMES: Leiothrichidae		
Dusky Babbler	<i>Turdoides tenebrosa</i>	H
Black-lored Babbler	<i>Turdoides sharpei</i>	
Brown Babbler	<i>Turdoides plebejus</i>	
Arrow-marked Babbler	<i>Turdoides jardineii</i>	

PASSERIFORMES: Promeropidae		
Gray-chested Illadopsis	<i>Kakamega poliothorax</i>	H
PASSERIFORMES: Muscicapidae		
Dusky-brown Flycatcher	<i>Muscicapa adusta</i>	
Spotted Flycatcher	<i>Muscicapa striata</i>	
Swamp Flycatcher	<i>Muscicapa aquatica</i>	
Sooty Flycatcher	<i>Bradornis fuliginosus</i>	
Dusky-blue Flycatcher	<i>Bradornis comitatus</i>	
Pale Flycatcher	<i>Agricola pallidus</i>	
Gray-throated Tit-Flycatcher	<i>Fraseria griseigularis</i>	
Gray Tit-Flycatcher	<i>Fraseria plumbea</i>	
Chapin's Flycatcher	<i>Fraseria lendu</i>	
Silverbird	<i>Melaenornis semipartitus</i>	
Yellow-eyed Black-Flycatcher - ARE seen at Ruhija	<i>Melaenornis ardesiacus</i>	
Northern Black-Flycatcher	<i>Melaenornis edolioides</i>	
Southern Black-Flycatcher	<i>Melaenornis pammelaina</i>	
White-eyed Slaty-Flycatcher	<i>Melaenornis fischeri</i>	
Fire-crested Alethe	<i>Alethe diademata</i>	
Brown-backed Scrub-Robin	<i>Cercotrichas hartlaubi</i>	
Red-backed Scrub-Robin	<i>Cercotrichas leucophrys</i>	H
White-bellied Robin-Chat	<i>Cossyphicula roberti</i>	
Archer's Robin-Chat - ARE seen at Ruhija	<i>Cossypha archeri</i>	
Blue-shouldered Robin-Chat	<i>Cossypha cyanocampter</i>	
Gray-winged Robin-Chat	<i>Cossypha polioptera</i>	
White-browed Robin-Chat	<i>Cossypha heuglini</i>	
Snowy-crowned Robin-Chat	<i>Cossypha niveicapilla</i>	
Spotted Morning-Thrush	<i>Cichladusa guttata</i>	
White-starred Robin	<i>Pogonocichla stellata</i>	

Brown-chested Alethe	<i>Pseudaethe poliocephala</i>	
Red-throated Alethe - ARE seen at Ruhija	<i>Pseudaethe poliophrys</i>	
Forest Robin	<i>Stiphornis erythrothorax</i>	
Equatorial Akalat	<i>Sheppardia aequatorialis</i>	
Whinchat	<i>Saxicola rubetra</i>	
African Stonechat	<i>Saxicola torquatus</i>	
Sooty Chat	<i>Myrmecocichla nigra</i>	
Mocking Cliff-Chat	<i>Thamnolaea cinnamomeiventris</i>	
Northern Wheatear	<i>Oenanthe oenanthe</i>	
Isabelline Wheatear	<i>Oenanthe isabellina</i>	
PASSERIFORMES: Turdidae		
Rufous Flycatcher-Thrush	<i>Neocossyphus fraseri</i>	
Red-tailed Ant-Thrush	<i>Neocossyphus rufus</i>	
White-tailed Ant-Thrush	<i>Neocossyphus poensis</i>	
Oberlaender's Ground-Thrush - ARE heard at Buhoma	<i>Geokichla oberlaenderi</i>	H
Abyssinian Thrush	<i>Turdus abyssinicus</i>	
African Thrush	<i>Turdus pelios</i>	
PASSERIFORMES: Sturnidae		
Violet-backed Starling	<i>Cinnyricinclus leucogaster</i>	
Slender-billed Starling	<i>Onychognathus tenuirostris</i>	H
Waller's Starling	<i>Onychognathus walleri</i>	
Sharpe's Starling	<i>Pholia sharpii</i>	
Narrow-tailed Starling	<i>Poeoptera lugubris</i>	
Stuhlmann's Starling	<i>Poeoptera stuhlmanni</i>	
Purple-headed Starling	<i>Hypopsar purpureiceps</i>	
Rüppell's Starling	<i>Lamprotornis purpuroptera</i>	
Splendid Starling	<i>Lamprotornis splendidus</i>	

Lesser Blue-eared Starling	<i>Lamprotornis chloropterus</i>	
Greater Blue-eared Starling	<i>Lamprotornis chalybaeus</i>	
Purple Starling	<i>Lamprotornis purpureus</i>	
Bronze-tailed Starling	<i>Lamprotornis chalcurus</i>	
PASSERIFORMES: Buphagidae		
Yellow-billed Oxpecker	<i>Buphagus africanus</i>	
PASSERIFORMES: Nectariniidae		
Gray-headed Sunbird	<i>Deleornis axillaris</i>	
Western Violet-backed Sunbird	<i>Anthreptes longuemarei</i>	
Seimund's Sunbird	<i>Anthreptes seimundi</i>	
Green Sunbird	<i>Anthreptes rectirostris</i>	
Collared Sunbird	<i>Hedydipna collaris</i>	
Green-headed Sunbird	<i>Cyanomitra verticalis</i>	
Blue-throated Brown Sunbird	<i>Cyanomitra cyanolaema</i>	
Blue-headed Sunbird - ARE seen at Ruhija	<i>Cyanomitra alinae</i>	
Western Olive Sunbird	<i>Cyanomitra obscura</i>	
Green-throated Sunbird	<i>Chalcomitra rubescens</i>	
Scarlet-chested Sunbird	<i>Chalcomitra senegalensis</i>	
Purple-breasted Sunbird - ARE seen at Ruhija	<i>Nectarinia purpureiventris</i>	
Bronze Sunbird	<i>Nectarinia kilimensis</i>	
Olive-bellied Sunbird	<i>Cinnyris chloropygius</i>	
Northern Double-collared Sunbird	<i>Cinnyris reichenowi</i>	
Regal Sunbird - ARE seen twice at Ruhija	<i>Cinnyris regius</i>	
Beautiful Sunbird	<i>Cinnyris pulchellus</i>	
Mariqua Sunbird	<i>Cinnyris mariquensis</i>	
Red-chested Sunbird	<i>Cinnyris erythrocerus</i>	
Purple-banded Sunbird	<i>Cinnyris bifasciatus</i>	

Superb Sunbird	<i>Cinnyris superbus</i>	
Variable Sunbird	<i>Cinnyris venustus</i>	
Copper Sunbird	<i>Cinnyris cupreus</i>	
PASSERIFORMES: Motacillidae		
Western Yellow Wagtail	<i>Motacilla flava</i>	
Cape Wagtail	<i>Motacilla capensis</i>	
Mountain Wagtail	<i>Motacilla clara</i>	
African Pied Wagtail	<i>Motacilla aguimp</i>	
African Pipit	<i>Anthus cinnamomeus</i>	
Jackson's Pipit	<i>Anthus latistriatus</i>	
Plain-backed Pipit	<i>Anthus leucophrys</i>	
Yellow-throated Longclaw	<i>Macronyx croceus</i>	
PASSERIFORMES: Emberizidae		
Cinnamon-breasted Bunting	<i>Emberiza tahapisi</i>	
Golden-breasted Bunting	<i>Emberiza flaviventris</i>	
Cabanis's Bunting	<i>Emberiza cabanisi</i>	
PASSERIFORMES: Fringillidae		
Yellow-crowned Canary	<i>Serinus flavivertex</i>	
White-rumped Seedeater	<i>Serinus leucopygius</i>	
Yellow-fronted Canary	<i>Serinus mozambicus</i>	
Western Citril	<i>Serinus frontalis</i>	
Brimstone Canary	<i>Serinus sulphuratus</i>	
Streaky Seedeater	<i>Serinus striolatus</i>	
Thick-billed Seedeater	<i>Serinus burtoni</i>	
PASSERIFORMES: Passeridae		
House Sparrow	<i>Passer domesticus</i>	

Shelley's Rufous Sparrow	<i>Passer shelleyi</i>	
Northern Gray-headed Sparrow	<i>Passer griseus</i>	
PASSERIFORMES: Ploceidae		
Speckle-fronted Weaver	<i>Sporopipes frontalis</i>	
White-browed Sparrow-Weaver	<i>Plocepasser mahali</i>	
Chestnut-crowned Sparrow-Weaver	<i>Plocepasser superciliosus</i>	
Red-headed Malimbe	<i>Malimbus rubricollis</i>	
Red-headed Weaver	<i>Anaplectes rubriceps</i>	
Baglafaecht Weaver	<i>Ploceus baglafaecht</i>	
Little Weaver	<i>Ploceus luteolus</i>	
Slender-billed Weaver	<i>Ploceus pelzelni</i>	
Black-necked Weaver	<i>Ploceus nigricollis</i>	
Spectacled Weaver	<i>Ploceus ocularis</i>	
Black-billed Weaver	<i>Ploceus melanogaster</i>	
Strange Weaver - ARE seen at Ruhija	<i>Ploceus alienus</i>	
Holub's Golden-Weaver	<i>Ploceus xanthops</i>	
Northern Brown-throated Weaver	<i>Ploceus castanops</i>	
Northern Masked-Weaver	<i>Ploceus taeniopterus</i>	
Lesser Masked-Weaver	<i>Ploceus intermedius</i>	
Vitelline Masked-Weaver	<i>Ploceus vitellinus</i>	
Vieillot's Weaver	<i>Ploceus nigerrimus</i>	
Village Weaver	<i>Ploceus cucullatus</i>	
Black-headed Weaver	<i>Ploceus melanocephalus</i>	
Golden-backed Weaver	<i>Ploceus jacksoni</i>	
Yellow-mantled Weaver	<i>Ploceus tricolor</i>	
Forest Weaver	<i>Ploceus bicolor</i>	
Brown-capped Weaver	<i>Ploceus insignis</i>	
Compact Weaver	<i>Pachyphantes superciliosus</i>	
Red-billed Quelea	<i>Quelea quelea</i>	

Northern Red Bishop	<i>Euplectes franciscanus</i>	
Southern Red Bishop	<i>Euplectes orix</i>	
Black Bishop	<i>Euplectes gierowii</i>	
White-winged Widowbird	<i>Euplectes albonotatus</i>	
Red-collared Widowbird	<i>Euplectes ardens</i>	
Fan-tailed Widowbird	<i>Euplectes axillaris</i>	
Grosbeak Weaver	<i>Amblyospiza albifrons</i>	
PASSERIFORMES: Estrildidae		
Gray-headed Nigrita	<i>Nigrita canicapillus</i>	
White-breasted Nigrita	<i>Nigrita fusconotus</i>	
Green-backed Twinspot	<i>Mandingoa nitidula</i>	
Fawn-breasted Waxbill	<i>Estrilda paludicola</i>	
Crimson-rumped Waxbill	<i>Estrilda rhodopyga</i>	
Common Waxbill	<i>Estrilda astrild</i>	
Black-crowned Waxbill	<i>Estrilda nonnula</i>	
Kandt's Waxbill	<i>Estrilda kandti</i>	
Black-faced Waxbill	<i>Estrilda erythronotos</i>	
Red-headed Bluebill	<i>Spermophaga ruficapilla</i>	H
Red-cheeked Cordonbleu	<i>Uraeginthus bengalus</i>	
Green-winged Pytilia	<i>Pytilia melba</i>	
Red-billed Firefinch	<i>Lagonosticta senegala</i>	
Black-bellied Firefinch	<i>Lagonosticta rara</i>	
African Firefinch	<i>Lagonosticta rubricata</i>	
Cut-throat	<i>Amadina fasciata</i>	
Black-faced Quailfinch	<i>Ortygospiza atricollis</i>	
Black-chinned Quailfinch	<i>Ortygospiza gabonensis</i>	
Bronze Mannikin	<i>Spermestes cucullata</i>	
Black-and-white Mannikin	<i>Spermestes bicolor</i>	

PASSERIFORMES: Viduidae	
Pin-tailed Whydah	<i>Vidua macroura</i>
Village Indigobird	<i>Vidua chalybeata</i>
Wilson's Indigobird	<i>Vidua wilsoni</i>

Mammal List

Mammal Checklist Order by

IUCN Red List 2001 Categories & Criteria (Version 3.1)

Groves, C., and P. Grubb. 2011

Hyracoidea (hyraxes)	
Western Tree hyrax	<i>Dendrohyrax dorsalis</i>
Elephants	
Bush Elephant	<i>Loxodonta africana</i>
Primates	
Thick-tailed Greater Galago	<i>Otolemur crassicaudatus</i>
Patas monkey	<i>Erythrocebus patas</i>
Vervet monkey	<i>Chlorocebus pygerythrus</i>
Tantalus monkey	<i>Chlorocebus tantalus</i>
Red-tailed monkey	<i>Cercopithecus ascanius</i>
L'Hoest's monkey	<i>Cercopithecus lhoesti</i>
Blue Monkey	<i>Cercopithecus mitis</i>
Uganda mangabey	<i>Lophocebus ugandae</i>
Olive baboon	<i>Papio anubis</i>
Mantled guereza	<i>Colobus guereza</i>
Uganda Red colobus	<i>Procolobus tephrosceles</i>

Mountain Gorilla	<i>Gorilla beringei beringei</i>
Common Chimpanzee	<i>Pan troglodytes</i>
Rodentia (rodents)	
Striped ground squirrel	<i>Xerus erythropus</i>
Carruther's mountain squirrel	<i>Funisciurus carruthersi</i>
Red-legged sun squirrel	<i>Heliosciurus rufobrachium</i>
Ruwenzori sun squirrel	<i>Heliosciurus ruwenzorii</i>
Alexander's bush squirrel	<i>Paraxerus alexandri</i>
Boehm's bush squirrel	<i>Paraxerus boehmi</i>
Lagomorpha (lagomorphs)	
Bunyoro rabbit	<i>Poelagus marjorita</i>
Cape hare	<i>Lepus capensis</i>
African savanna hare	<i>Lepus victoriae</i>
Bats	
Angola Rousette	<i>Lissonycteris angolensis</i>
Yellow-winged bat	<i>Lavia frons</i>
House bats	<i>Scotophilus sp.</i>
Evening bats	<i>Scotoecus sp.</i>
Carnivora	
African golden cat	<i>Caracal aurata</i>
African lion	<i>Panthera leo</i>
Blotched genet	<i>Genetta maculata</i>
Marsh Mongoose	<i>Atilax paludinosus</i>
Slender mongoose	<i>Herpestes sanguineus</i>
White-tailed mongoose	<i>Ichneumia albicauda</i>
Banded mongoose	<i>Mungos mungo</i>
Dwarf mongoose	<i>Helogale parvula</i>
Spotted hyena	<i>Crocuta crocuta</i>
Side-striped jackal	<i>Canis adustus</i>

Perissodactyla (odd-toed ungulates)	
Plains Zebra	<i>Equus quagga</i>
Artiodactyla (even-toed ungulates)	
Common warthog	<i>Phacochoerus africanus</i>
Hippopotamus	<i>Hippopotamus amphibius</i>
Giraffe (ssp. Rothschild's)	<i>Giraffa camelopardalis rothschildi</i>
Lelwel hartebeest	<i>Alcelaphus buselaphus lelwel</i>
Topi	<i>Damaliscus lunatus</i>
Oribi	<i>Ourebia ourebi</i>
African buffalo	<i>Syncerus caffer</i>
Common eland	<i>Tragelaphus oryx</i>
Bushbuck	<i>Tragelaphus scriptus</i>
Blue duiker	<i>Philantomba monticola</i>
Black-fronted duiker	<i>Cephalophus nigrifrons</i>
Impala	<i>Aepyceros melampus</i>
Waterbuck	<i>Kobus ellipsiprymnus</i>
Kob	<i>Kobus kob</i>

Reptile List

Order by

IUCN Red List 2001 Categories & Criteria (Version 3.1)

The Reptile Database

GECKOS	
Tropical House gecko	<i>Hemidactylus mabouia</i>
SKINKS	
Striped skink	<i>Mabuya striata</i>
AGAMA	
Blue-Headed Tree agama	<i>Acanthocercus atricollis</i>

Red-Headed Rock agama	<i>Agama agama</i>
Finch's Agama	<i>Agama finchi</i>
CHAMELEONS	
Rwenzori Three-Horned chameleon	<i>Chameleo jonstoni</i>
MONITOR LIZARDS	
Nile Monitor	<i>Varanus niloticus</i>
CROCODILES	
Nile crocodiles	<i>Crocodylus niloticus</i>
SNAKES	
Jackson's Tree snake	<i>Thasops jacksoni</i>
Puff Adder	<i>Bitis arietans</i>