



# Namibia & Botswana 2016

A Tropical Birding Custom Trip

3-18 August 2016

Guides: Ken Behrens & Charley Hesse



The Crimson-breasted Shrike is Namibia's national bird.



## WINDHOEK

After arrival in Namibia's capital, we had a day to relax and enjoy the excellent birding on offer around this small and charming city.

Windhoek has a population of about 300,000, out of Namibia's tiny population of only 2.1 million, remarkable for a country that is twice the size of California.

Monteiro's Hornbill (left), one of many Namibian near-endemic birds that we were seeking.



On our morning walk at Avis Dam, we enjoyed African Hawk-Eagle (top left) and African Red-eyed Bulbul (middle left), while there were a bounty of waterbirds at the Gammons Water Care (Sewage!) Works, including Red-knobbed Coot (bottom left) and African Darter (right).



From Windhoek, in the central mountains, we descended into the Namib Desert, where species like the Common Ostrich survive despite incredibly harsh conditions.



South African Ground Squirrel (bottom right); Namib Dune Ant (top right); and Rueppell's Bustard (left), creatures of the Namib.



## WALVIS BAY AND SWAKOPMUND

The Namib dune fields hold Namibia's sole political endemic bird, the Dune Lark.

Walvis Bay itself is a mecca for waterbirds, including thousands of Lesser Flamingos (right-hand page).






Spitzkoppe is Namibia's most distinctive and iconic mountain.



Our avian target at Spitzkoppe was the scarce Herero Chat.



## OMARURU AND THE ERONGO MOUNTAINS

Erongo landscape and one of Africa's best bird-feeding stations (right), Green-winged Pytilia (top left), Rockrunner (bottom left), and Damara dik-dik (middle left).



The bird feeders of Erongo Wilderness Lodge are among the best in Africa. Visitors included dozens of Rosy-faced Lovebirds.



Some of our best sightings around Omaruru: Rueppell's Parrot (top left), Violet Woodhoopoe (bottom left), and Marico Sunbird (bottom right). During dinner at Erongo, we had the rock-loving Freckled Nightjar (top right).




Prize sightings in central Namibia included Acacia Pied Barbet (above right) and male Hartlaub's Francolin (above left), alternately known as the "Hearthrob"!

## ETOSHA NATIONAL PARK

The middle portion of our safari was spent in Etosha, one of the world's great parks. Our timing was perfect, as huge numbers of mammals and birds were concentrated around the park's waterholes due to the parched conditions prevailing late in the dry season.

Giraffe (right) against a typical dry season landscape of tawny grass, flowering *Acacia nebroni*, and a yellowing Mopane tree.





Dry season Etosha is all about the waterholes, whose visitors shown here include Red Hartebeest, Springbok, and Blue Wildebeest, just a taste of the bounty of wildlife that we saw by visiting waterholes.






Pale Chanting Goshawk (top left), Black-backed Jackal (bottom left), and Black Rhino (right).  
On the left-hand page are shown Kori Bustard (left), Namaqua Sandgrouse (top right), African Elephant at the Okakuejo waterhole (middle right), and Double-banded Sandgrouse (bottom right).





This page: Giraffe (top), Burchell's Courser (bottom left), and Honey Badger (bottom right).

Left page: Groundscraper Thrush (top left), Greater Kudu and Black-faced Impala (top right), African Elephant (bottom left), and Lilac-breasted Roller (bottom right).



This page: Southern Yellow-billed Hornbill (bottom left); Crowned Lapwing (bottom right); Giraffes (top left); and White Helmetshrike (top right). Right page: Lion is at the top of the food chain in Etosha.





## KAVANGO REGION, NORTHERN NAMIBIA

We struck north for the Okavango ecosystem, where a bounty of creatures like this Pied Kingfisher awaited.



With species like Nile Crocodile (top) and Purple Heron (bottom right) around, life isn't safe for the fish of the Kavango! In the adjacent woodland, part of the group saw the rare Souza's Shrike (bottom left).



Seeing an Ostrich creche (left) attended by a protective pair was one of the highlights of Mahango Game reserve. In the Okavango, Giant Kingfisher and White-fronted Bee-eater are common birds (right).

## SHAGAWE & MAUN, BOTSWANA

We stayed at two lodges in the heart of the Okavango system, a matrix of open water, marsh, and riparian woodland. By walking around the lodge grounds and taking boat trips out into the vast adjacent wetlands, we turned up a huge array of birds and other wildlife.

The Okavango is a remarkable inland delta formed by several rivers which run out of the mountains of Angola, then pour into and evaporate upon the sands of the Kalahari semi-desert.

We watched African Fish-Eagles (right) plummeting out of the sky and snatching fish from the river.





We had wonderful views of the incredible Pel's Fishing-Owl (right) in Botswana. The Malachite Kingfisher (left) is a common denizen of the reeds along the Kavango River.



Jacques the hippo (top) is the resident lawnmower at the lodge where we stayed. While doing our checklist one night, he approached to within a few feet! Other garden residents there include Violet-backed Starling (bottom left) and Hartlaub's Babbler (bottom right).



Wading birds like this Rufous-bellied Heron (below) and Little Bittern (bottom right) are abundant throughout the Okavango.

At Shagawe, we saw a brutal showdown between two African Hoopoes (top right).

Left page: the widespread Pied Kingfisher (left) and scarce African Skimmer (right).





African Darter, which we affectionally call the “Daataa” (left). Southern Carmine Bee-eaters (top right) were just arriving to breed. Holub’s Golden Weaver (bottom right) was nesting just in front of our lodge.



The Okavango holds an abundance of colorful and conspicuous birds, like White-fronted Bee-eater (left), African Jacana (top right), and Giant Kingfisher (bottom right), which shocked the guides by hovering near the boat for an extended period, a very odd behavior for this huge kingfisher!



Photo by Jerry Connolly

| Common Name                         | Scientific Name                      | Location                   |
|-------------------------------------|--------------------------------------|----------------------------|
| <b>Ostrich</b>                      | <b><i>Struthionidae</i></b>          |                            |
| Ostrich                             | <i>Struthio camelus</i>              | C-14 to Walvis Bay         |
|                                     |                                      |                            |
| <b>Ducks, Geese and Waterfowl</b>   | <b><i>Anatidae</i></b>               |                            |
| White-faced Whistling-Duck          | <i>Dendrocygna viduata</i>           | Mahango                    |
| Egyptian Goose                      | <i>Alopochen aegyptiaca</i>          | wet areas                  |
| Comb (Knob-billed) Duck             | <i>Sarkidiormis melanotos</i>        | Mahango                    |
| South African Shelduck              | <i>Tadorna cana</i>                  | Gammons Sewage Works, etc  |
| Spur-winged Goose                   | <i>Plectropterus gambensis</i>       | Mahango                    |
| African Pygmy-Goose                 | <i>Nettapus auritus</i>              | Okavango Delta             |
| Cape Shoveler                       | <i>Anas smithii</i>                  | Gammons Sewage Works       |
| Red-billed Duck                     | <i>Anas erythrorhyncha</i>           | Gammons Sewage Works, etc. |
| Hottentot Teal                      | <i>Anas hottentota</i>               | Gammons Sewage Works       |
| Cape Teal                           | <i>Anas capensis</i>                 | wet areas                  |
| Southern Pochard                    | <i>Netta erythrophthalma</i>         | Gammons Sewage Works       |
|                                     |                                      |                            |
| <b>Guineafowl</b>                   | <b><i>Numididae</i></b>              |                            |
| Helmeted Guineafowl                 | <i>Numida meleagris</i>              | throughout                 |
|                                     |                                      |                            |
| <b>Pheasants, Grouse and Allies</b> | <b><i>Phasianidae</i></b>            |                            |
| Crested Francolin                   | <i>Francolinus sephaena</i>          | Kavango                    |
| Hartlaub's Francolin                | <i>Francolinus hartlaubi</i>         | Erongo                     |
| Red-billed Francolin                | <i>Francolinus adspersus</i>         | Throughout                 |
| Swainson's Francolin                | <i>Francolinus swainsonii</i>        | Mahango                    |
|                                     |                                      |                            |
| <b>Grebes</b>                       | <b><i>Podiceps</i></b>               |                            |
| Little Grebe                        | <i>Tachybaptus ruficollis</i>        | wet areas                  |
|                                     |                                      |                            |
| <b>Flamingos</b>                    | <b><i>Phoenicopteridae</i></b>       |                            |
| Greater Flamingo                    | <i>Phoenicopterus roseus</i>         | Walvis Bay                 |
| Lesser Flamingo                     | <i>Phoenicopterus minor</i>          | Walvis Bay                 |
|                                     |                                      |                            |
| <b>Storks</b>                       | <b><i>Ciconiidae</i></b>             |                            |
| African Openbill                    | <i>Anastomus lamelligerus</i>        | Okavango Delta floodplain  |
| Saddle-billed Stork                 | <i>Ephippiorhynchus senegalensis</i> | Mahango (Ken and Jerry)    |
| Marabou Stork                       | <i>Leptoptilos crumenifer</i>        | Mahango, Okavango Delta    |
| Yellow-billed Stork                 | <i>Mycteria ibis</i>                 | First at Kavango           |

| Common Name                        | Scientific Name                | Location                         |
|------------------------------------|--------------------------------|----------------------------------|
| <b>Boobies and Gannets</b>         | <b>Sulidae</b>                 |                                  |
| Cape Gannet                        | <i>Morus capensis</i>          | Walvis Bay                       |
| <b>Cormorants and Shags</b>        | <b>Ardeidae</b>                |                                  |
| Great Cormorant                    | <i>Phalacrocorax carbo</i>     | Gammons Sewage Works, Walvis Bay |
| Cape Cormorant                     | <i>Phalacrocorax capensis</i>  | Walvis Bay                       |
| Bank Cormorant                     | <i>Phalacrocorax neglectus</i> | Walvis Bay. Rare and unexpected! |
| Long-tailed Cormorant              | <i>Phalacrocorax africanus</i> | Gammons Sewage Works, etc.       |
| Crowned Cormorant                  | <i>Phalacrocorax coronatus</i> | Walvis Bay                       |
| <b>Anhingas</b>                    | <b>Anhingidae</b>              |                                  |
| African Darter                     | <i>Anhinga rufa</i>            | Gammons Sewage Works, etc.       |
| <b>Pelicans</b>                    | <b>Pelicanidae</b>             |                                  |
| Great White Pelican                | <i>Pelecanus onocrotalus</i>   | Gammons Sewage Works, Walvis Bay |
| <b>Hamerkop</b>                    | <b>Scopidae</b>                |                                  |
| Hamerkop                           | <i>Scopus umbretta</i>         | Kavango, Okavango Delta          |
| <b>Herons, Egrets and Bitterns</b> |                                |                                  |
| Little Bittern                     | <i>Ixobrychus minutus</i>      | Kavango, Okavango Delta          |
| Gray Heron                         | <i>Ardea cinerea</i>           | First at Sewage Works            |
| Black-headed Heron                 | <i>Ardea melanocephala</i>     | Gammons Sewage works             |
| Goliath Heron                      | <i>Ardea goliath</i>           | Kavango, Okavango Delta          |
| Purple Heron                       | <i>Ardea purpurea</i>          | First at Kavango                 |
| Great Egret                        | <i>Ardea alba</i>              | Kavango, Mahango, Okavango Delta |
| Intermediate Egret                 | <i>Mesophoyx intermedia</i>    | Kavango, Mahango, Okavango Delta |
| Little Egret                       | <i>Egretta garzetta</i>        | wet areas                        |
| Slaty Egret                        | <i>Egretta vinaceigula</i>     | Kavango, Mahango, Okavango Delta |
| Black Heron                        | <i>Egretta ardesiaca</i>       | Kavango, Mahango, Okavango Delta |
| Cattle Egret                       | <i>Bubulcus ibis</i>           | Kavango, Mahango, Okavango Delta |
| Squacco Heron                      | <i>Ardeola ralloides</i>       | Kavango, Mahango, Okavango Delta |
| Rufous-bellied Heron               | <i>Ardeola rufiventris</i>     | Kavango                          |
| Striated Heron                     | <i>Butorides striata</i>       | First at Kavango                 |
| <b>Ibis and Spoonbill</b>          | <b>Threskiornithidae</b>       |                                  |

| Common Name                               | Scientific Name                 | Location                               |
|---|---------------------------------|--|
| Glossy Ibis                               | <i>Plegadis falcinellus</i>     | Mahango                                |
| Sacred Ibis                               | <i>Threskiornis aethiopicus</i> | Gammons Sewage Works, Mahango          |
| African Spoonbill                         | <i>Platalea alba</i>            | Mahango                                |
| <b>Hawks, Eagles and Kites</b>            | <b><i>Accipitridae</i></b>      |  |
| Black-shouldered Kite                     | <i>Elanus caeruleus</i>         | fairly widespread                      |
| African Harrier-Hawk                      | <i>Polyboroides typus</i>       | Kavango, Mahango                       |
| Hooded Vulture                            | <i>Necrosyrtes monachus</i>     | Mahango                                |
| Lappet-faced Vulture                      | <i>Torgos tracheliotus</i>      | fairly widespread                      |
| White-headed Vulture                      | <i>Trigonoceps occipitalis</i>  | Etosha                                 |
| White-backed Vulture                      | <i>Gyps africanus</i>           | Etosha, Kavango, Mahango               |
| Bateleur                                  | <i>Terathopius ecaudatus</i>    | Etosha, Mahango, delta.                |
| Black-breasted Snake-Eagle                | <i>Circaetus pectoralis</i>     | Windhoek, Walvis Bay, Mahango          |
| Martial Eagle                             | <i>Polemaetus bellicosus</i>    | C-28, Etosha, Mahango                  |
| Wahlberg's Eagle                          | <i>Hieraetus wahlbergi</i>      | Mahango (Ken and Jerry)                |
| Booted Eagle                              | <i>Hieraetus pennatus</i>       | Spitzkoppe                             |
| Tawny Eagle                               | <i>Aquila rapax</i>             | Etosha, Mahango, Okavango Delta        |
| African Hawk-Eagle                        | <i>Aquila spilogaster</i>       | Windhoek, Walvis Bay (Roibank), Erongo |
| Lizard Buzzard                            | <i>Kaupifalco monogrammicus</i> | morning walk near Kavango              |
| Dark Chanting-Goshawk                     | <i>Melierax metabates</i>       | Etosha surprise                        |
| Pale Chanting-Goshawk                     | <i>Melierax canorus</i>         | C-28, etc.                             |
| Gabar Goshawk                             | <i>Micronisus gabar</i>         | Kavango, Mahango (Ken and Jerry)       |
| African Marsh-Harrier                     | <i>Circus ranivorus</i>         | Kavango, Mahango                       |
| Shikra                                    | <i>Accipiter badius</i>         | Etosha                                 |
| Little Sparrowhawk                        | <i>Accipiter minullus</i>       | Thamalakane                            |
| Black Kite                                | <i>Milvus migrans</i>           | Kavango, Mahango                       |
| African Fish-Eagle                        | <i>Haliaeetus vocifer</i>       | first at Gammons Sewage Works          |
| Augur Buzzard                             | <i>Buteo augur</i>              | C-28, Spitzkoppe                       |
| Long-crested Eagle                        | <i>Lophaetus occipitalis</i>    | briefly Okavango Delta                 |
| <b>Bustards</b>                           | <b><i>Otididae</i></b>          |  |
| Kori Bustard                              | <i>Ardeotis kori</i>            | Etosha                                 |
| Rueppell's Bustard                        | <i>Eupodotis rueppellii</i>     | C-28 to Walvis Bay                     |
| Red-crested Bustard                       | <i>Eupodotis ruficrista</i>     | Etosha                                 |
| White-quilled (No. Black Korhaan) Bustard | <i>Eupodotis afraoides</i>      | Etosha                                 |
| <b>Rails, Gallinules and Coots</b>        | <b><i>Rallidae</i></b>          |  |
| Black Crake                               | <i>Amaurornis flavirostra</i>   | Kavango, Shakawe                       |

| <b>Common Name</b>             | <b>Scientific Name</b>         | <b>Location</b>                    |
|--------------------------------|--------------------------------|------------------------------------|
| Purple Swamphen                | <i>Porphyrio porphyrio</i>     | Gammons Sewage Works, Kavango      |
| Eurasian (Common) Moorhen      | <i>Gallinula chloropus</i>     | Gammons Sewage Works, Etosha       |
| Red-knobbed Coot               | <i>Fulica cristata</i>         | Gammons Sewage Works, Walvis Bay   |
| <b>Cranes</b>                  | <b><i>Gruidae</i></b>          |                                    |
| Wattled Crane                  | <i>Bugeranus carunculatus</i>  | Mahango                            |
| <b>Thick-knees</b>             | <b><i>Burhinidae</i></b>       |                                    |
| Water Thick-knee               | <i>Burhinus vermiculatus</i>   | Kavango, Okavango Delta            |
| <b>Stilts and Avocets</b>      | <b><i>Recurvirostridae</i></b> |                                    |
| Black-winged Stilt             | <i>Himantopus himantopus</i>   | Walvis Bay, Kavango                |
| Pied Avocet                    | <i>Recurvirostra avosetta</i>  | Walvis Bay, Etosha                 |
| <b>Plovers and Lapwings</b>    | <b><i>Charadriidae</i></b>     |                                    |
| Long-toed Lapwing              | <i>Vanellus crassirostris</i>  | Mahango, Okavango Delta floodplain |
| Blacksmith Plover              | <i>Vanellus armatus</i>        | widespread                         |
| Crowned Lapwing                | <i>Vanellus coronatus</i>      | fairly widespread                  |
| Wattled Lapwing                | <i>Vanellus senegallus</i>     | Kavango                            |
| Kittlitz's Plover              | <i>Charadrius pecuarius</i>    | Gammons Sewage Works, Etosha       |
| Three-banded Plover            | <i>Charadrius tricollaris</i>  | Gammons Sewage Works, Etosha       |
| White-fronted Plover           | <i>Charadrius marginatus</i>   | Walvis Bay, Kavango                |
| Chestnut-banded Plover         | <i>Charadrius pallidus</i>     | Walvis Bay (Ken's Rover)           |
| <b>Jacanas</b>                 | <b><i>Jacanidae</i></b>        |                                    |
| African Jacana                 | <i>Actophilornis africanus</i> | widespread                         |
| <b>Sandpipers and Allies</b>   | <b><i>Scolopacidae</i></b>     |                                    |
| Common Sandpiper               | <i>Actitis hypoleucos</i>      | Gammons Sewage Works, Kavango      |
| Common Greenshank              | <i>Tringa nebularia</i>        | Walvis Bay                         |
| Wood Sandpiper                 | <i>Tringa glareola</i>         | Etosha, Kavango                    |
| <b>Pratincoles and Courser</b> | <b><i>Glareolidae</i></b>      |                                    |
| Burchell's Courser             | <i>Cursorius rufus</i>         | Etosha                             |
| Double-banded Courser          | <i>Smutsornis africanus</i>    | Etosha                             |
| Collared Pratincole            | <i>Glareola pratincola</i>     | Kavango                            |

| <b>Common Name</b>               | <b>Scientific Name</b>               | <b>Location</b>                        |
|----------------------------------|--------------------------------------|--|
| <b>Gulls, Terns and Skimmers</b> | <b>Laridae</b>                       |  |
| Gray-hooded Gull                 | <i>Chroicocephalus cirrocephalus</i> | Walvis Bay, Etosha, Kavango            |
| Hartlaub's Gull                  | <i>Chroicocephalus hartlaubii</i>    | Walvis Bay                             |
| Kelp Gull                        | <i>Larus dominicanus</i>             | Walvis Bay                             |
| Caspian Tern                     | <i>Hydroprogne caspia</i>            | Walvis Bay                             |
| Great Crested (Swift) Tern       | <i>Thalasseus bergii</i>             | Walvis Bay                             |
| African Skimmer                  | <i>Rynchops flavirostris</i>         | Kavango, Okavanga Delta                |
|                                  |                                      |  |
| <b>Sandgrouse</b>                | <b>Pteroclidae</b>                   |  |
| Namaqua Sandgrouse               | <i>Pterocles namaqua</i>             | C-28, Etosha                           |
| Double-banded Sandgrouse         | <i>Pterocles bicinctus</i>           | Etosha                                 |
|                                  |                                      |  |
| <b>Pigeons and Doves</b>         | <b>Columbidae</b>                    |  |
| Rock Pigeon                      | <i>Columba livia</i>                 | Windhoek, Walvis Bay                   |
| Speckled Pigeon                  | <i>Columba guinea</i>                | Avis Dam, Omaruru, Thamalakane         |
| Mourning Collared-Dove           | <i>Streptopelia decipiens</i>        | Okavango Delta                         |
| Red-eyed Dove                    | <i>Streptopelia semitorquata</i>     | "I am a..." first in Kavango           |
| Ring-necked (Cape Turtle-) Dove  | <i>Streptopelia capicola</i>         | widespread                             |
| Laughing Dove                    | <i>Streptopelia senegalensis</i>     | widespread                             |
| Emerald-spotted Wood-Dove        | <i>Turtur chalcospilos</i>           | "...dead, dead, dead" first in Etosha  |
| Namaqua Dove                     | <i>Oena capensis</i>                 | widespread                             |
| African Green-pigeon             | <i>Treron calvus</i>                 | Okavango Delta                         |
|                                  |                                      |  |
| <b>Turcaos</b>                   | <b>Musophagidae</b>                  |  |
| Gray Go-away-bird                | <i>Corythaixoides concolor</i>       | widespread                             |
|                                  |                                      |  |
| <b>Cuckoos</b>                   | <b>Cuculidae</b>                     |  |
| Coppery-tailed Coucal            | <i>Centropus cupreicaudus</i>        | Kavango, Okavango Delta                |
| Senegal Coucal                   | <i>Centropus superciliosus</i>       | Mahango (Ken and Jerry); Botswana      |
|                                  |                                      |  |
| <b>Barn-Owls</b>                 | <b>Tytonidae</b>                     |  |
| Barn Owl                         | <i>Tyto alba</i>                     | Halali Camp                            |
|                                  |                                      |  |
| <b>Owls</b>                      | <b>Strigidae</b>                     |  |
| African Scops-Owl                | <i>Otus senegalensis</i>             | Halali Camp                            |
| Verreaux's (Giant) Eagle-Owl     | <i>Bubo lacteus</i>                  | nice find for Emily at Mahango on nest |
| Pel's Fishing-Owl                | <i>Scotopelia peli</i>               | Okavango Delta                         |

| <b>Common Name</b>                    | <b>Scientific Name</b>        | <b>Location</b>                                      |
|---------------------------------------|-------------------------------|--|
| Pearl-spotted Owlet                   | <i>Glaucidium perlatum</i>    | Avis Dam, Erongo, Mokuti                             |
| African Wood-Owl                      | <i>Strix woodfordii</i>       | Shakawe  |
|                                       |                               |  |
|                                       |                               |  |
| <b>Nightjars and Allies</b>           | <b><i>Caprimulgidae</i></b>   |  |
| Fiery-necked Nightjar                 | <i>Caprimulgus pectoralis</i> | Kavango  |
| Freckled Nightjar                     | <i>Caprimulgus tristigma</i>  | Erongo   |
| Square-tailed Nightjar                | <i>Caprimulgus fossilis</i>   | Heard-only at Kavango                                |
|                                       |                               |  |
| <b>Swifts</b>                         | <b><i>Apodidae</i></b>        |  |
| African Palm-Swift                    | <i>Cypsiurus parvus</i>       | widespread   |
|                                       |                               |  |
| <b>Mousebirds</b>                     | <b><i>Coliidae</i></b>        |  |
| White-backed Mousebird                | <i>Colius colius</i>          | first six days                                       |
| Red-faced Mousebird                   | <i>Urocolius indicus</i>      | Kavango, Mahango, Shakawe                            |
|                                       |                               |  |
| <b>Kingfishers</b>                    | <b><i>Alcedinidae</i></b>     |  |
| Malachite Kingfisher                  | <i>Corythornis cristatus</i>  | Kavango, Okavango Delta                              |
| Giant Kingfisher                      | <i>Megaceryle maximus</i>     | Okavango Delta                                       |
| Pied Kingfisher                       | <i>Ceryle rudis</i>           | most common kingfisher                               |
|                                       |                               |  |
| <b>Bee-eaters</b>                     | <b><i>Meropidae</i></b>       |  |
| White-fronted Bee-eater               | <i>Merops bullockoides</i>    | Mahango, Okavango Delta                              |
| Little Bee-eater                      | <i>Merops pusillus</i>        | Kavango, Mahango, Shakawe                            |
| Swallow-tailed Bee-eater              | <i>Merops hirundineus</i>     | Mahango, Okavango Delta                              |
| Southern Carmine Bee-eater            | <i>Merops nubicoides</i>      | Kavango, Okavango Delta                              |
|                                       |                               |  |
| <b>Rollers</b>                        | <b><i>Coraciidae</i></b>      |  |
| Lilac-breasted Roller                 | <i>Coracias caudatus</i>      | widespread   |
| Rufous-crowned Roller                 | <i>Coracias naevius</i>       | first on ride to Etosha, not as common as L-B Roller |
|                                       |                               |  |
| <b>Hoopoes</b>                        | <b><i>Upupidae</i></b>        |  |
| Eurasian Hoopoe                       | <i>Upupa epops</i>            | best was the "battle" at Shakawe                     |
|                                       |                               |  |
| <b>Woodhoopoes and Scimitar-bills</b> | <b><i>Phoeniculidae</i></b>   |  |
| Green Woodhoopoe                      | <i>Phoeniculus purpureus</i>  | Mahango, Okavango Delta                              |
| Violet Woodhoopoe                     | <i>Phoeniculus damarensis</i> | Omaruru, Halali                                      |

| <b>Common Name</b>              | <b>Scientific Name</b>          | <b>Location</b>                                       |
|---------------------------------|---------------------------------|---|
| Common Scimitar-bill            | <i>Rhinopomastus cyanomelas</i> | Mahango   |
| <b>Hornbills</b>                | <b>Bucerotidae</b>              |   |
| Monteiro's Hornbill             | <i>Tockus monteiri</i>          | C-28, Omaruru, Etosha                                 |
| Southern Red-billed Hornbill    | <i>Tockus rufigostris</i>       | Etosha  |
| Damara Red-billed Hornbill      | <i>Tockus damarensis</i>        | Omaruru   |
| Southern Yellow-billed Hornbill | <i>Tockus leucomelas</i>        | widespread  |
| Bradfield's Hornbill            | <i>Tockus bradfieldi</i>        | Mahango, Shakawe                                      |
| African Gray Hornbill           | <i>Tockus nasutus</i>           | widespread  |
| <b>African Barbets</b>          | <b>Lybiidae</b>                 |   |
| Crested Barbet                  | <i>Trachyphonus vaillantii</i>  | Mahango, Shakawe                                      |
| Yellow-fronted Tinkerbird       | <i>Pogoniulus chrysoconus</i>   | Kavango dry area, Shakawe                             |
| Pied Barbet                     | <i>Tricholaema leucomelas</i>   | Avis Dam, Omaruru, Shakawe                            |
| Black-collared Barbet           | <i>Lybius torquatus</i>         | Kavango dry area, Shakawe                             |
| <b>Honeyguides</b>              | <b>Indicatoridae</b>            |   |
| Lesser Honeyguide               | <i>Indicator minor</i>          | Thamalakane   |
| <b>Woodpeckers</b>              | <b>Picidae</b>                  |   |
| Bennett's Woodpecker            | <i>Campetherina bennetti</i>    | Mahango (K and J); Charley's "detour" on ride to Maun |
| Golden-tailed Woodpecker        | <i>Campetherabingoni</i>        | Heard-only at Shakawe                                 |
| Cardinal Woodpecker             | <i>Dendropicos fuscescens</i>   | fairly widespread (first at Onganga)                  |
| Bearded Woodpecker              | <i>Dendropicos namaquus</i>     | Shakawe   |
| <b>Falcons and Caracaras</b>    | <b>Falconidae</b>               |   |
| Pygmy Falcon                    | <i>Polihierax semitorquatus</i> | C-28  |
| Rock Kestrel                    | <i>Falco tinnunculus</i>        | Avis Dam, C-28, Etosha                                |
| Greater Kestrel                 | <i>Falco rupicoloides</i>       | Etosha  |
| Peregrine Falcon                | <i>Falco peregrinus</i>         | Spitzkoppe  |
| <b>Old World Parrots</b>        | <b>Psittaculidae</b>            |   |
| Rosy-faced Lovebird             | <i>Agapornis roseicollis</i>    | Avis Dam, C-28, Erongo                                |
| Meyer's Parrot                  | <i>Poicephalus meyeri</i>       | Mahango   |
| Ruepell's Parrot                | <i>Poicephalus rueppellii</i>   | Omaruru   |
| <b>Wattle-eyes and Batises</b>  | <b>Platysteiridae</b>           |   |

| <b>Common Name</b>                      | <b>Scientific Name</b>             | <b>Location</b>                                    |
|---|------------------------------------|--|
| White-tailed Shrike                     | <i>Lanioturdus torquatus</i>       | Omaruru  |
| Pirrit Batis                            | <i>Batis pririt</i>                | Roibank  |
|   |                                    |  |
| <b>Vangas, Helmetshrikes and Allies</b> | <b><i>Vangidae</i></b>             |  |
| White Helmetshrike                      | <i>Prionops plumatus</i>           | Kavango dry area, Mahango                          |
|   |                                    |  |
| <b>Bushshrikes and Allies</b>           | <b><i>Malacoptidae</i></b>         |  |
| Brubru                                  | <i>Nilaus afer</i>                 | Kavango dry area                                   |
| Black-backed Puffback                   | <i>Dryoscopus cubla</i>            | Shakawe  |
| Brown-crowned Tchagra                   | <i>Tchagra australis</i>           | Mokuti, Mahango                                    |
| Gabon (Swamp) Boubou                    | <i>Laniarius bicolor</i>           | first at Kavango                                   |
| Crimson-breasted Gonolek                | <i>Laniarius atrococcineus</i>     | fairly widespread                                  |
| Sulpher-breasted Bushshrike             | <i>Telophorus sulfureopectus</i>   | Shakawe, Mahango                                   |
|   |                                    |  |
| <b>Shrikes</b>                          | <b><i>Laniidae</i></b>             |  |
| Southern Fiscal                         | <i>Lanius collaris</i>             | common roadside shrike on first half of tour       |
| Souza's Shrike                          | <i>Lanius souzae</i>               | Kavango dry area specialty                         |
| Magpie Shrike                           | <i>Corvinella melanoleuca</i>      | Kavango, Mahango, Shakawe                          |
| White-crowned Shrike                    | <i>Eurocephalus anguitimens</i>    | first in Omaruru, common in Etosha                 |
|   |                                    |  |
| <b>Old World Orioles</b>                | <b><i>Oriolidae</i></b>            |  |
| African Black-headed Oriole             | <i>Oriolus larvatus</i>            | Kavango dry area, Mahango, Shakawe                 |
|   |                                    |  |
| <b>Drongos</b>                          | <b><i>Dicruridae</i></b>           |  |
| Fork-tailed Drongo                      | <i>Dicrurus adsimilis</i>          | widespread   |
|   |                                    |  |
| <b>Crows, Jays and Magpies</b>          | <b><i>Corvidae</i></b>             |  |
| Cape Crow                               | <i>Corvus capensis</i>             | widespread   |
| Pied Crow                               | <i>Corvus albus</i>                | widespread   |
|   |                                    |  |
| <b>Larks</b>                            | <b><i>Alaudidae</i></b>            |  |
| Sabota Lark                             | <i>Calendulauda sabota</i>         | most common lark                                   |
| Fawn-colored Lark                       | <i>Calendulauda africanoides</i>   | Mahango (K and J)                                  |
| Dune Lark                               | <i>Calendulauda erythrochlamys</i> | Namibia's only true endemic! Roibank (near Walvis) |
| Gray's Lark                             | <i>Amomomanopsis grayi</i>         | Walvis Bay   |
| Spike-heeled Lark                       | <i>Chersomanes albofasciata</i>    | C-28, Etosha                                       |
| Karoo Long-billed Lark                  | <i>Certhilauda subcoronata</i>     | Early a.m. near Spitzkoppe                         |

| <b>Common Name</b>                      | <b>Scientific Name</b>             | <b>Location</b>  |
|---|------------------------------------|--|
| Chestnut-backed Sparrow-Lark            | <i>Eremopterix leucotis</i>        | Etosha   |
| Gray-backed Sparrow-Lark                | <i>Eremopterix verticalis</i>      | Etosha   |
| Red-capped Lark                         | <i>Calandrella cinerea</i>         | Walvis Bay   |
| Stark's Lark                            | <i>Spizocorys starki</i>           | "Stahk's Lahk"; Drive: Spitz. to Omaruru (Ken's Rover) |
| Pink-billed Lark                        | <i>Spizocorys conirostris</i>      | Etosha   |
|   |                                    |  |
| <b>Swallows</b>                         | <b>Hirundinidae</b>                |  |
| Plain Martin                            | <i>Riparia paludicola</i>          | Kavango, Mahango                                       |
| Banded Martin                           | <i>Riparia cincta</i>              | Avis, Kavango, Mahango, Okavango Delta                 |
| Rock Martin                             | <i>Ptyonoprogne fuligula</i>       | Avis Dam, Etosha                                       |
| Wire-tailed Swallow                     | <i>Hirundo smithii</i>             | Kavango, Mahango, delta                                |
| Lesser Striped-Swallow                  | <i>Cecropis abyssinica</i>         | Kavango, Mahango, delta                                |
| Rufous-chested Swallow                  | <i>Cecropis semirufa</i>           | Etosha, Kavango  |
| South African (Cliff) Swallow           | <i>Petrochelidon spilodera</i>     | Etosha   |
| Common House Martin                     | <i>Delichon urbicum</i>            | Kavango afternoon walk                                 |
| Gray-rumped Swallow                     | <i>Pseudhirundo griseopyga</i>     | Kavango, Mahango                                       |
|   |                                    |  |
| <b>Chickadees and Tits</b>              | <b>Paridae</b>                     |  |
| Southern Black-Tit                      | <i>Melaniparus niger</i>           | Kavango  |
| Carp's Tit                              | <i>Melaniparus carpi</i>           | Erongo   |
| Ashy Tit                                | <i>Melaniparus cinerascens</i>     | Avis Dam, Spitzkoppe                                   |
|   |                                    |  |
| <b>Bulbs</b>                            | <b>Pycnonotidae</b>                |  |
| Yellow-bellied Greenbul                 | <i>Chlorocichla flaviventris</i>   | Shakawe  |
| Terrestrial Brownbul                    | <i>Phyllastrephus terrestris</i>   | Shakawe  |
| Common (Dark-capped) Bulbul             | <i>Pycnonotus barbatus</i>         | Kavango onward   |
| Black-fronted (African Red-eyed) Bulbul | <i>Pycnonotus nigricans</i>        | most days through Etosha (like the old name way more)  |
|   |                                    |  |
| <b>African Warblers</b>                 | <b>Macrosphenidae</b>              |  |
| Cape Crombec                            | <i>Sylvietta rufescens</i>         | fairly widespread                                      |
| Rockrunner                              | <i>Achaetops pycnopygius</i>       | Avis Dam was the only sighting of this charismatic sp. |
|   |                                    |  |
| <b>Reed-Warblers and Allies</b>         | <b>Acrocephalidae</b>              |  |
| African Reed-Warbler                    | <i>Acrocephalus baeticatus</i>     | Avis Dam   |
| Lesser Swamp-Warbler                    | <i>Acrocephalus gracilirostris</i> | Kavango  |
| Greater Swamp-Warbler                   | <i>Acrocephalus rufescens</i>      | Okavango Delta   |
|   |                                    |  |

| Common Name                            | Scientific Name                 | Location  |
|--|---------------------------------|---|
| <b>Grassbirds and Allies</b>           | <b><i>Locustellidae</i></b>     |   |
| Little Rush-Warbler                    | <i>Bradypterus baboecala</i>    | Okavango Delta  |
|  |                                 |   |
| <b>Cisticolas and Allies</b>           | <b><i>Cisticolidae</i></b>      |   |
| Yellow-breasted Apalis                 | <i>Apalis flava</i>             | Mokuti, Shakawe                                       |
| Green-backed Camaroptera               | <i>Camaroptera brachyura</i>    | first at Mokuti (wicked hard to photograph!)          |
| Barred Wren-Warbler                    | <i>Calamonastes fasciolatus</i> | Heard only at avis Dam                                |
| Rattling Cisticola                     | <i>Cisticola chiniana</i>       | Avis Dam, Mahango                                     |
| Winding Cisticola                      | <i>Cisticola galactotes</i>     | Kavango afternoon walk                                |
| Chirping Cisticola                     | <i>Cisticola pipiens</i>        | Kavango afternoon walk, Okavango Delta                |
| Desert Cisticola                       | <i>Cisticola aridulus</i>       | Etosha  |
| Tawny-flanked Prinia                   | <i>Prinia subflava</i>          | Shakawe   |
| Black-chested Prinia                   | <i>Prinia flavicans</i>         | widespread  |
| Yellow-bellied Eremomela               | <i>Eremomela icteropygialis</i> | Etosha  |
| Greencap Eremomela                     | <i>Eremomela scotops</i>        | Kavango dry area specialty                            |
| Burnt-neck Eremomela                   | <i>Eremomela usticollis</i>     | Avis Dam  |
|  |                                 |   |
| <b>Sylvids</b>                         | <b><i>Sylviidae</i></b>         |   |
| Layard's Warbler (Tit-Babbler)         | <i>Sylvia layardi</i>           | Spitzkoppe  |
| Rufous-vented Warbler (Tit-Babbler)    | <i>Sylvia subcaerulea</i>       | Avis Dam, ride to Etosha                              |
|  |                                 |   |
| <b>Yuhinas, White-eyes, and Allies</b> | <b><i>Zosteropidae</i></b>      |   |
| African Yellow White-eye               | <i>Zosterops senegalensis</i>   | Kavango, Shakawe                                      |
|  |                                 |   |
| <b>Laughingthrushes and Allies</b>     | <b><i>Leiothrichidae</i></b>    |   |
| Hartlaub's Babbler                     | <i>Turdoides hartlaubii</i>     | Kavango, Mahango, Shakawe                             |
| Black-faced Babbler                    | <i>Turdoides melanops</i>       | Mokuti  |
| Southern Pied-Babbler                  | <i>Turdoides bicolor</i>        | Mahango (K and J); Charley's "detour" on ride to Maun |
| Arrow-marked Babbler                   | <i>Turdoides jardineii</i>      | Kavango, Mahango, Thamalakane                         |
|  |                                 |   |
| <b>Old World Flycatchers</b>           | <b><i>Muscicapidae</i></b>      |   |
| Pale Flycatcher                        | <i>Bradornis pallidus</i>       | Kavango dry area                                      |
| Chat Flycatcher                        | <i>Bradornis infuscatus</i>     | C-28, Etosha  |
| Mariqua Flycatcher                     | <i>Bradornis mariquensis</i>    | fairly widespread                                     |
| Ashy Flycatcher                        | <i>Muscicapa caerulescens</i>   | Shakawe   |
| Kalahari Scrub-Robin                   | <i>Cercotrichas paena</i>       | fairly widespread                                     |
| Red-backed (White-browed)Scrub-Robin   | <i>Cercotrichas leucophrys</i>  | Mokuti, Kavango                                       |

| <b>Common Name</b>                 | <b>Scientific Name</b>            | <b>Location</b>                                       |
|------------------------------------|-----------------------------------|---|
| Herero Chat                        | <i>Namibornis herero</i>          | Spitzkoppe; limited distribution inselberg specialist |
| White-browed Robin-Chat            | <i>Cossypha heuglini</i>          | Shakawe, Thamalakane                                  |
| Short-toed Rock-Thrush             | <i>Monticola brevipes</i>         | first at Avis Dam. Remarkably common in Etosha.       |
| Southern Anteater-Chat             | <i>Myrmecocichla formicivora</i>  | ride from Spitz. To Omaruru; Etosha                   |
| Karoo Chat                         | <i>Cercomela schlegelii</i>       | ride from Spitz. To Omaruru; Etosha                   |
| Tractrac Chat                      | <i>Cercomela tractrac</i>         | ride from Spitz. (Ken's rover)                        |
| Familiar Chat                      | <i>Cercomela familiaris</i>       | Avis Dam, Erongo, Etosha                              |
| Mountain Wheatear                  | <i>Oenanthe monticola</i>         | Avis Dam, C-28, Erongo                                |
|                                    |                                   |   |
| <b>Thrushes and Allies</b>         | <b><i>Turdidae</i></b>            |   |
| Groundscraper Thrush               | <i>Psophocichla litsitsirupa</i>  | widespread  |
| Kurrichane Thrush                  | <i>Turdus libonyana</i>           | Kavango, Shakawe                                      |
|                                    |                                   |   |
| <b>Starlings</b>                   | <b><i>Sturnidae</i></b>           |   |
| Wattled Starling                   | <i>Creatophora cinerea</i>        | Gammons Sewage Works                                  |
| Cape (Glossy-) Starling            | <i>Lamprotornis nitens</i>        | widespread  |
| Greater Blue-eared Glossy-Starling | <i>Lamprotornis chalybaeus</i>    | Mokuti, Mahango                                       |
| Meves's Glossy-Starling            | <i>Lamprotornis mevesii</i>       | Mahango, Shakawe                                      |
| Burchell's Glossy-Starling         | <i>Lamprotornis australis</i>     | ride to Etosha, Kavango, Shakawe                      |
| Violet-backed Starling             | <i>Cinnyricinclus leucogaster</i> | Kavango, Mahango, Shakawe                             |
| Pale-winged Starling               | <i>Onychognathus nabouroup</i>    | most days up to first day in Etosha                   |
|                                    |                                   |   |
| <b>Oxpeckers</b>                   | <b><i>Buphagidae</i></b>          |   |
| Red-billed Oxpecker                | <i>Buphagus erythrorhynchus</i>   | Mahango, Shakawe                                      |
| Yellow-billed Oxpecker             | <i>Buphagus africanus</i>         | Shakawe   |
|                                    |                                   |   |
| <b>Sunbirds and Spiderhunters</b>  | <b><i>Nectariniidae</i></b>       |   |
| Collared Sunbird                   | <i>Hedydipna collaris</i>         | Shakawe   |
| Scarlet-chested Sunbird            | <i>Chalcomitra senegalensis</i>   | Onganga, Erongo                                       |
| Mariqua Sunbird                    | <i>Cinnyris mariquensis</i>       | widespread  |
| Purple-banded Sunbird              | <i>Cinnyris bifasciatus</i>       | Kavango, Mahango, Shakawe                             |
| White-breasted Sunbird             | <i>Cinnyris talatala</i>          | Kavango, Shakawe                                      |
| Dusky Sunbird                      | <i>Cinnyris fuscus</i>            | Spitzkoppe, Omaruru, Erongo                           |
|                                    |                                   |   |
| <b>Wagtails and Pipits</b>         | <b><i>Motacillidae</i></b>        |   |
| Cape Wagtail                       | <i>Motacilla capensis</i>         | Avis Dam, Shakawe                                     |
| African Pied Wagtail               | <i>Motacilla aguimp</i>           | Shakawe   |

| Common Name                            | Scientific Name               | Location  |
|--|-------------------------------|---|
| <b>Buntings and New World Sparrows</b> | <b><i>Emberizidae</i></b>     |   |
| Cape Bunting                           | <i>Emberiza capensis</i>      | Avis Dam, Erongo  |
| Golden-breasted Bunting                | <i>Emberiza flaviventris</i>  | Halali, Kavango   |
| <b>Siskins, Crossbills and Allies</b>  | <b><i>Fringillidae</i></b>    |   |
| Yellow-fronted Canary                  | <i>Serinus mozambicus</i>     | Kavango, Mahango  |
| Black-throated Canary                  | <i>Serinus atrogularis</i>    | fairly widespread on first half of tour                   |
| Yellow Canary                          | <i>Serinus flaviventris</i>   | Onganga, drive to Etosha                                  |
| White-throated Canary                  | <i>Serinus albogularis</i>    | Spitzkoppe  |
| <b>Old World Sparrows</b>              | <b><i>Passeridae</i></b>      |   |
| House Sparrow                          | <i>Passer domesticus</i>      | Windhoek  |
| Great Rufous Sparrow                   | <i>Passer motitensis</i>      | Erongo, Etosha  |
| Cape Sparrow                           | <i>Passer melanurus</i>       | Roibank, Spitzkoppe                                       |
| Southern Gray-headed Sparrow           | <i>Passer diffusus</i>        | widespread  |
| <b>Weavers and Allies</b>              | <b><i>Ploceidae</i></b>       |   |
| Red-billed Buffalo-Weaver              | <i>Bubalornis niger</i>       | Gas station nest near Popa Falls, Shakawe                 |
| Scaly Weaver (Scaly-feathered Finch)   | <i>Sporopipes squamifrons</i> | widespread  |
| White-browed Sparrow-Weaver            | <i>Plocepasser mahali</i>     | widespread  |
| Social Weaver                          | <i>Philetairus socius</i>     | C-28, Etosha  |
| Red-headed Weaver                      | <i>Anaplectes rubriceps</i>   | Thamalakane   |
| Spectacled Weaver                      | <i>Ploceus ocularis</i>       | Shakawe   |
| Holub's Golden-Weaver                  | <i>Ploceus xanthops</i>       | Shakawe   |
| Southern Brown-throated Weaver         | <i>Ploceus xanthopterus</i>   | Shakawe   |
| Lesser Masked-Weaver                   | <i>Ploceus intermedius</i>    | Shakawe   |
| Southern Masked-Weaver                 | <i>Ploceus velatus</i>        | Avis Dam, Omaruru   |
| Village Weaver                         | <i>Ploceus cucullatus</i>     | Avis Dam  |
| Chestnut Weaver                        | <i>Ploceus rubiginosus</i>    | drive to Etosha (leaky faucet stop)                       |
| Red-billed Quelea                      | <i>Quelea quelea</i>          | first at Avis Dam; cast of millions (?) on drive to Maun! |
| Red Bishop                             | <i>Euplectes orix</i>         | Avis Dam, Mahango   |
| Fan-tailed Widowbird                   | <i>Euplectes axillaris</i>    | Shakawe   |
| Grosbeak (Thick-billed) Weaver         | <i>Amblyospiza albifrons</i>  | Shakawe   |
| <b>Waxbills and Allies</b>             | <b><i>Estrildidae</i></b>     |   |
| Common Waxbill                         | <i>Estrilda astrild</i>       | Avis Dam, C-28  |

| <b>Common Name</b>            | <b>Scientific Name</b>        | <b>Location</b>                        |
|-------------------------------|-------------------------------|--|
| Black-cheeked (faced) Waxbill | <i>Estrilda erythronotos</i>  | Avis Dam, Mahango                      |
| Blue-capped Cordonbleu        | <i>Uraeginthus angolensis</i> | widespread                             |
| Violet-eared Waxbill          | <i>Granatina granatina</i>    | Avis Dam, Etosha                       |
| Green-winged Pytilia          | <i>Pytilia melba</i>          | Erongo, Mahango                        |
| Red-billed Firefinch          | <i>Lagonosticta senegala</i>  | Avis Dam, Shakawe                      |
| Brown Firefinch               | <i>Lagonosticta nitidula</i>  | Shakawe                                |
| Red-headed Finch              | <i>Amadina erythrocephala</i> | Avis Dam, Etosha                       |
|                               |                               |  |
| <b>Indigobirds</b>            | <b><i>Viduidae</i></b>        |  |
| Pin-tailed Whydah             | <i>Vidua macroura</i>         | Avis Dam                               |
| Shaft-tailed Whydah           | <i>Vidua regia</i>            | Mahango                                |
| Village Weaver                | <i>Vidua chalybeata</i>       | On dirt road on the way out of Kavango |

| <b>MAMMALS</b>               |                               |
|------------------------------|-------------------------------|
| <b>Rodents</b>               | <b><i>Rodentia</i></b>        |
| Dassie Rat                   | <i>Petromus typicus</i>       |
| Acacia Rat                   | <i>Thallomys paedulcus</i>    |
| Damara Ground Squirrel       | <i>Geosciurus princeps</i>    |
| Tree Squirrel                | <i>Paraxerus cepapi</i>       |
|                              |                               |
| <b>Hares</b>                 | <b><i>Lagomorpha</i></b>      |
| Scrub Hare                   | <i>Lepus capensis</i>         |
|                              |                               |
| <b>Seals &amp; Sealions</b>  | <b><i>Phocidae</i></b>        |
| Cape Fur Seal                | <i>Actophilornis pusillus</i> |
|                              |                               |
| <b>Dolphins</b>              | <b><i>Delphinidae:</i></b>    |
| Bottlenose Dolphin           | <i>Tursiops truncatus</i>     |
|                              |                               |
| <b>Cheek-pouched Monkeys</b> | <b><i>Cercopithecidae</i></b> |
| Chacma Baboon                | <i>Papio ursinus</i>          |
| Vervet Monkey                | <i>Cercopithecus aethiops</i> |
|                              |                               |
| <b>Dogs &amp; allies</b>     | <b><i>Canidae</i></b>         |
| Black-backed Jackal          | <i>Canis mesomelas</i>        |
| Bat-eared Fox                | <i>Otocyon megalotis</i>      |
|                              |                               |
| <b>Cats</b>                  | <b><i>Felidae</i></b>         |
| Lion                         | <i>Panthera leo</i>           |
|                              |                               |
| <b>Mongooses</b>             | <b><i>Herpestidae</i></b>     |
| Slender Mongoose             | <i>Herpestes sanguinea</i>    |
| Banded Mongoose              | <i>Mungos mungo</i>           |
| Yellow Mongoose              | <i>Cynictis penicillata</i>   |
|                              |                               |
| <b>Mustelids</b>             | <b><i>Mustelidae</i></b>      |
| Ratel (Honey Badger)         | <i>Mellivora cepensis</i>     |
|                              |                               |
| <b>Hyraxes</b>               | <b><i>Procavidae:</i></b>     |
| Cape Rock Hyrax              | <i>Procavia capensis</i>      |

|                                |                                     |
|--------------------------------|-------------------------------------|
| <b>Elephants</b>               | <b><i>Elephantidae</i></b>          |
| (African) Elephant             | <i>Loxodonta africana</i>           |
|                                |                                     |
| <b>Giraffes</b>                | <b><i>Giraffidae</i></b>            |
| Giraffe                        | <i>Camelopardus giraffa giraffa</i> |
|                                |                                     |
| <b>Horses</b>                  | <b><i>Equidae</i></b>               |
| Burchell's Common Zebra        | <i>Equus quagga burchelli</i>       |
| Hartmann's Mountain Zebra      | <i>Equus hartmannae</i>             |
|                                |                                     |
| <b>Hippopotamuses</b>          | <b><i>Hippopotamidae</i></b>        |
| Hippopotamus                   | <i>Hippopotamus amphibius</i>       |
|                                |                                     |
| <b>Rhinoceroses</b>            | <b><i>Rhinocerotidae</i></b>        |
| Black Rhino                    | <i>Diceros bicornis</i>             |
|                                |                                     |
| <b>Pigs</b>                    | <b><i>Suidae</i></b>                |
| Warthog                        | <i>Phacochoerus africanus</i>       |
|                                |                                     |
| <b>Horned Ungulates</b>        | <b><i>Bovidae:</i></b>              |
| African (Cape) Buffalo         | <i>Synacerus caffer</i>             |
| Bushbuck                       | <i>Tragelaphus scriptus</i>         |
| Greater Kudu                   | <i>Tragelaphus strepsiceros</i>     |
| Eland                          | <i>Taurotragus oryx</i>             |
| Gemsbok (Southern Oryx)        | <i>Oryx gazella</i>                 |
| Springbok                      | <i>Antidorcas marsupialis</i>       |
| Roan (Antelope)                | <i>Hippotragus equinus</i>          |
| (Red) Lechwe                   | <i>Kobus lechwe lechwe</i>          |
| Common Waterbuck               | <i>Kobus ellipsiprymnus</i>         |
| Steenbok                       | <i>Raphicerus campestris</i>        |
| Damara Dikdik                  | <i>Madoqua kirkii damarensis</i>    |
| Southern Reedbuck              | <i>Redunca arundinum</i>            |
| Black-faced Impala             | <i>Aepyceros melampus petersi</i>   |
| Red Hartebeest                 | <i>Alcelaphus buselaphus caama</i>  |
| Blue Wildebeest (Brindled Gnu) | <i>Connochaetes taurinus</i>        |

| <b>REPTILES</b>               |                              |
|-------------------------------|------------------------------|
| Nile Crocodile                | <i>Crocodylus niloticus</i>  |
| Bushveld Lizard               | <i>Helobolus lugubris</i>    |
| Western Sandveld Lizard       | <i>Nucras tessellata</i>     |
| Wedge-snouted Lizard          | <i>Sphenops sepsoides</i>    |
| Bolton's Namib Day-Lizard     | <i>Hemidaactylus mabouia</i> |
| Namibian Rock Agama           | <i>Agama planiceps</i>       |
| Moreau's Tropical House Gecko | <i>Hemidaactylus mabouia</i> |
| Nile Monitor                  | <i>Varanus niloticus</i>     |
| Striped Skink                 | <i>Mabuya striata</i>        |
| Ovambo Tree Skink             | <i>Trachylepis bocagii</i>   |
| Marsh Terrapin                | <i>Pelomedusa subrufa</i>    |

| <b>BUTTERFLIES</b> |                                       |
|--------------------|---------------------------------------|
| Queen Purple Tip   | <i>Colotis regina</i>                 |
| Orange Tip species | <i>Colotis</i> sp.                    |
| Common Diadem      | <i>Hypolimnas misippus</i>            |
| Cambridge Vagrant  | <i>Nepheronia thalassina sinalata</i> |
| Guineafowl         | <i>Hamanumida daedalus</i>            |

