



## BRAZIL: The Pantanal and Amazon 17 June – 1 July 2024

Report and photos by ANDRES VASQUEZ N., the guide for this tour



*One of the most iconic birds of the Pantanal, **Toco Toucan** (photo above) was very obliging on our tour.*

**INTRODUCTION:** It is a pleasure to head back to this corner of the world every year thanks to the unmatched wildlife encounters we get every time I visit Mato Grosso. This year was not any different thanks to the amazing wildlife action we witnessed with, for instance, not only various **Jaguar** sightings but also one of them catching, killing, and dragging away a caiman in front of our eyes, or the three different **Brazilian Tapirs** we encountered, not to mention an **Anaconda**, two species of **peccaries**, a mom and a cub **Jaguarundi**, plus foxes, armadillos and deer, to name a few. Bird-wise, the tour was also very gratifying as always having gotten all of the participants' top targets and more; just to mention a few we found **Collared Crescentchest**, **Small-billed Tinamou**, **Hyacinth Macaw**, **Toco Toucan**, **Bare-eyed Antbird**, **Sungrebe**, **Sunbittern**, **White-browed Hawk**, **Spotted Puffbird**, **Black-girdled Barbet**, **Jabiru**, two species of **curassow**, **White Woodpecker**, **Zigzag Heron**, **Snow-capped Manakin**, **Pompadour Cotinga**, **Red-legged Seriema**, and even a surprisingly responsive **Alta Floresta Antpitta** that allowed photos. These are just some of the key species that come to mind among the 451 species of birds recorded during the two weeks of birding.



*This **Jaguarundi** (above) was a great prize while birding along the Transpantaneira Road*

There are three main biomes that we visit in this trip. We start by visiting the Cerrado for a couple days where, despite being a short visit, it provided tons of unique birds for this itinerary. Then we moved to the Amazon basin where we spent five and a half days packed with diversity of antbirds, tanagers, puffbirds, manakins and more. Finally, the seasonally flooded savanna of the Pantanal provided us with tons of waterbirds, despite it having been the driest I've ever seen the Pantanal.



*The Red-legged Seriema (above) was surprisingly common during our time in the Cerrado*

**THE CERRADO:** This is one of the biggest biomes in Brazil but on this itinerary we only visit these ecosystems for a day and a half. This was a bird-filled time however that allowed to find plenty of special birds like the rare **Yellow-faced Parrot**, the bizarre **Red-legged Seriema**, the always desired **Collared Crescentchest**, and various other specialties of this biome like **White-rumped** and **White-banded Tanagers**, **Red-shouldered Macaw**, **Checkered Woodpecker**, **White-eared Puffbird**, **Rufous-winged Antshrike**, **Black-throated Saltator**, **Chapada Flycatcher**, **Helmeted Manakin**, **Crested Black-Tyrant**, and the gorgeous **Curl-crested Jay** among others.



The highly desired **Collared Crescentchest** (*above*) and the group of birders happy after seeing a Small-billed Tinamou out in the open



The Cerrado was great also in terms of scenery and nice views of the rocky outcrops bordering the small town of Chapada dos Guimaraes where we spent the first night of the tour.

**THE AMAZON:** We moved to the southern part of the Amazon where the gorgeous Cristalino Lodge provides a luxurious place to stay among towering Amazonian trees and next to a pristine river. This lodge is a pleasure to stay at with amazing food, great accommodation, superb staff, two canopy towers, and a rich and healthy reserve protecting endangered areas of the Amazon and at the same time providing access to visitors.



A bizarre looking antbird is this **Bare-eyed Antbird** (above) that luckily visits the water features

They also have a unique attraction within the Amazon basinç with its *poçinhas* that consist of blinds place inside the forest in front of water features where birds come late in the afternoon to drink and bathe providing birders with great views of some of the most difficult species. Some of the great birds we saw at the two *poçinhas* we visited include the alien-like **Bare-eyed Antbird**, the elegant **Black-spotted Bare-eye**, **Saturnine**, **Cinereous** and **Spot-winged Antshrike**, **Spot-backed**, **Dot-backed**, **Xingu Scale-backed**, and **Spix's Warbling Antbirds**, **Gray**, **White-flanked**, and **Plain-throated Antwrens**, **Snow-capped**, **Band-tailed**, and **White-crowned Manakins**, four species of foliage-gleaners, and the striking **White-winged Shrike-Tanager**. All these were also photographed. We even had a surreal experience in one of these blinds when we heard at close range the ultra-rare Scaled Ground-Cuckoo that we did not see but our local guide saw it heading up a tree since he was outside the hide. We tried to re-find it afterwards but sadly we could not see it, only I saw a long-tailed shadow flying out of the place it was supposed to be.



From the blinds we got birds like **Snow-capped Manakin** (above) and **Spix's Warbling Antbird** (below)





Also from the blinds this **Spot-backed Antbird** (above) and, seen from a trail the old fashioned way, this **Banded Antbird** (below)



We also managed to lure in some other skulking birds out of the dense undergrowth out of which for sure the two most rewarding ones were the elusive **Alta Floresta Antpitta** and the always difficult **Banded Antbird**. In that category we also pulled out **Blue-cheeked Jacamar**, **White-crowned Spadebill**, **Manu** and **Striated Antbirds**, **Rose-breasted Chat**, **Dusky-cheeked Foliage-gleaner**, **Amazonian Pygmy-Owl**, **Rufous-capped Nunlet**, **White-browed Antbird**, **Variegated Tinamou**, and various others.



*I had only heard **Alta Floresta Antpitta** (above) in the past and it was a great way to break the jinx this time*

The canopy towers are of course the best mechanisms to bird in any Amazon forest. Cristalino Lodge has two very tall ones from where we birded two different mornings. Not only most of the bird interactions occur in the canopy but also the most breathtaking sunrises also happen there. Two mornings we visited the two towers that protrude well above the forest canopy to give birders an outstanding platform to find the birds that keep to the upper layers of the super tall forest. From the towers we managed to amass a large list of birds out of which the most memorable was for sure the unique **Pompadour Cotinga**, followed by another relative, the neon blue **Spangled Cotinga**; both were actually constantly feeding in a tree right next to the first tower we visited so we started our canopy exploration with a bang.





Maroon and gorgeous *Pompadour Cotinga* (above) and the neon sky blue *Spangled Cotinga* (below)



Other great birds of note included **Yellow-throated, Red-necked, Crimson-crested, and Cream-colored Woodpeckers, Slate-colored Grosbeak, Slaty-capped Shrike-Vireo, Black-faced Dacnis, Flame-crested Tanager, White-browed Purpletuft, White-bellied Parrot, Paradise Jacamar, Black-bellied Cuckoo, Lettered and Red-necked Aracaris, Black-tailed, Green-backed, and Amazonian Trogons, Black-girdled Barbet, five species of macaw, Tooth-billed Wren, Epaulet Oriole, Crested, and Green and Olive Oropendolas.**



*Elegant and stoic, this **Paradise Jacamar** (above) perches in the sun*

Nearly all of the excursions that we do at Cristalino involve boat rides. We spent a lot of time moving up and down the Cristalino River birding the river edges and the large Ariosto Island, seeking various special birds that live near water. One of the most prominent is the unique **Sunbittern** that we saw almost daily but many participants mentioned **Green Ibis** as one of their favorites too. A host of herons, swallows, and kingfishers were commonly seen during this rides. We also paid special attention to some more skulking species and managed to locate highlights like **Glossy, Amazonian, and Chestnut-backed Antshrikes, Spotted Tody-Flycatcher, Ladder-tailed and Blackish Nightjars, Pauraque, Lesser Nighthawk, Red-capped Cardinal, Buff-breasted Wren, Gray-chested Greenlet, Amazonian Streaked-Antwren, Silvered and Band-tailed Antbirds,** and both species of terns present in the area.

Other birds worth mentioning that we saw in the unique open micro-ecosystem of the *serras* (rocky hilltops with stunted forest) include **Spotted** and **Eastern Striolated-Puffbirds**, **Dusky-capped Woodcreeper**, **Rusty-winged** and **Southern White-fringed Antwrens**, and **Natterer's Slaty-Antshrike** – at Cristalino, these species are mostly restricted to the *serras*. A few other species seen here were the local and rare **White-browed Hawk**, **Amethyst Woodstar**, and a bunch of tanagers that we had missed from the towers like **Turquoise**, **Paradise**, **Opal-rumped**, **Bay-headed**, **Masked**, and **White-shouldered Tanagers**.



*This was the first time I managed to photograph **White-browed Hawk** (above) from a decent distance*

Having amassed a great amount of these Amazonian species, we were ready to head on to our next destination in the southern part of the Mato Grosso State. For that, we flew back to Cuiabá and drove a couple of hours to the northern Pantanal.

**THE PANTANAL:** The final leg of our tour took place in the Pantanal. We spent six nights in three different lodges along the famed Transpantaneira, the road that crosses the whole of the Pantanal present in the state of Mato Grosso. We started with two nights in Pouso Alegre, located in the northern portions, this modest lodge in terms of accommodation is still quite comfortable but above all it is filled with wildlife. We arrived there past sunset on the same day that we left Cristalino.



*Bare-faced Curassows (above) were abundant on the lodge grounds*

The first morning in the Pantanal always blows the mind of visitors due to the huge amount of individual birds and the large diversity; it is typically a bird overload. Some pre-breakfast birding in the surroundings of the lodge produced enough birds to keep everybody happy for a few days really. Loads of *cracids* dominate the lodge grounds, with **Chaco Chachalacas**, **Chestnut-bellied Guans**, and **Bare-faced Curassows** having constant territorial disputes. **Toco Toucans** and **Chestnut-eared Aracaris** are the most colorful birds at the busy feeders behind the lodge but they do not eclipse things like **Purplish Jays**, **Yellow-billed Cardinals**, **Giant** and **Shining Cowbirds**, and the more subtle **Grayish Baywings**.

The surrounding trees had **Campo Flickers**, **Pale-crested**, **Golden-green**, **Green-barred** and **Little Woodpeckers**, plus **Great Rufous** and **Narrow-billed Woodcreepers** and a **Red-billed Scythebill**. All these (and various others) were seen in about an hour before breakfast.

Exploring the vast savannas and gallery forests protected by this lodge, we picked up tons of other birds for a list that summed up to close to 120 species for the day. Among the most prominent species we saw in the area included the large **Greater Rhea**, a pair of roosting **Great Potoos**, **Jabiru**, **Wood Stork**, **Roseate Spoonbill**, **Long-tailed Ground Dove**, **Whistling Heron**, **Plumbeous** and **Buff-necked Ibis**, **Red-crested Cardinals**, **Hooded Tanager**, **White-headed Marsh-Tyrant**, **Turquoise-fronted Parrot**, **Hyacinth Macaw**, **Great, Barred** and **Planalto Slaty-Antshrikes**, and tons more.



*The feeders at Pouso Alegre where pumping, even this **Chestnut-eared Aracari** (above) made an appearance*

We had also a great time at dusk and by night while staying in this rich location. Along the 3km entry road, we managed to find at dusk dozens of **Black-crowned Night-Herons**, **Black Skimmers**, tons of **Nacunda Nighthawks** flying over the shrinking waterholes, and a few **Common Pauraques** by the road. We also saw a few mammals, starting with a couple **Crab-eating Foxes**, a **Six-banded Armadillo**, and a patient **Brazilian Tapir** that allowed us close up views right at the grounds of the lodge the second night of our stay there.



*Nacunda Nightwaks (above) at dusk and a pair of Hyacinth Macaws (below) earlier that day*





*When we were about to finish our night drive I managed to pick up the eye-shine of this **Brazilian Tapir** (above)*

After leaving Pouso Alegre, we moved farther south and stayed in a hotel right at the edge of the Pixaim River, where we did a couple of boat drives in the sluggish water. Undoubtedly, the best bird we got from these boat rides was the always sought-after **Sungrebe**; we got not only great views but also the best light and angle I had ever seen it and photographed it boldly swimming in the open next to our boat.

The water level of the river was so low due to the almost unprecedented drought that we could not really do a long boat ride in terms of distance but we still enjoyed the very relaxing and birdy rides regardless. Some of the other memorable sightings included close views of a **Black-collared Hawk**, **Pale-legged Hornero**, **Gray-cowled Wood-Rail**, and another nice surprise, an out-in-the-open **Undulated Tinamou** that had come to the edge of the river to drink water.

During this ride, when dusk comes, we always get lots of **Band-tailed Nighthawks** that start flying above our heads as we ride back to the pier. This is my favorite time of these rides due to the combination of the birds, the sunset, the pick and magenta skies, and the relaxing movement of the boat.



Gorgeous *Sungrebe* (*above*) in warm afternoon light and *Band-tailed Nighthawk* (*below*) right at dusk







A family of *White Woodpeckers* (*above*) gave us a show along the Transpantaneira

One of the mornings during our time in the Pixaim area we dedicated it to birding along the Transpantaneira in the proximities of our hotel. This was very rewarding since we managed to find several new birds for us. The most prominent was a family of **White Woodpeckers**, unique in this family with their yellow eyerings and contrasting black and white plumage. They also move around in family groups which make the show even better. Another of the great species we found in the area was the rare and local **Nanday Parakeet** which we spotted from a long distance and had unsatisfactory scope views only to find a family right on the grounds of our hotel later on.



*A family of **Nanday Parakeets** (above) were sitting on a tree in the middle of the hotel grounds*

After a couple nights we were ready to move on to the final and probably most exciting part of the tour, the visit to Porto Jofre where we were going to be looking for the mighty Jaguar. We had to drive along the southern part of the Transpantaneira for a few hours however and we birded our way along. The most prominent birds we got during that ride were the bright **Scarlet-headed Blackbird**, **White-bellied Seedeater**, **Fawn-breasted Wren**, **Scaly headed Parrot**, the scarce **Yellow-collared Macaw** and a roosting **Great Horned owl**. We also found a great wetland where we saw **Collared** and **Pied Plovers**, **White-faced Whistling-Ducks**, **Brazilian Teal**, **Muscovy Duck**, and **Black Skimmers**, to name a few.

We arrived at lunch time into our hotel in the border of the large Cuiaba River; we had time for a great lunch and a little rest before our first outing for **Jaguars** that afternoon. In total we had three boat rides in two days for several hours in search of this mighty cat and the results were absolutely breathtaking. The first one was a little difficult since the only **Jaguar** we saw was not very rewarding since it was just lying down under vegetation in the shade, to sleep during the hot hours of the afternoon. However, the second time we went out we saw various jaguars but without a doubt the best one was one that we were following as it walked along the river bank, and all of the sudden it caught a large caiman. We witnessed the hunt and the ensuing struggle that the caiman put up, making this one of the tensest and most dramatic moments I have had in this area.



*The caiman never stood a chance... (above)*

Watching the size of the caiman (at least 6 or 7 feet long) and seeing how the Jaguar made the kill was simply a humbling experience. The Jag knew exactly how to avoid the sharp teeth of the caiman and knew exactly where and how to bite and grab the head of the reptile. It was a battle that the Jag won with ease but with a bit of effort given the weight and strength of the caiman. Despite requiring some occasional pauses, it almost effortlessly took the heavy caiman inside the forest for a private meal. We were ecstatic.

Apart from this magical experience, we also had other great encounters along the river with a few **Giant Otters** that swam along the river edge parallel to our boat and occasionally caught fish that they devoured in front of our lenses. We also picked up a few new trip birds during the these rides; among them we got **Striped Cuckoo**, **Orange-backed Troupial**, **Cinereous-breasted Spinetail**, and **Gilded Hummingbird**.



*A Giant Otter eating a large fish (above)*

After an extremely successful time in Porto Jofre, we just needed to head back to Cuiabá to finish the tour in the same city as we started it. By that time, there were not many new birds that were likely to pick up, but we did manage to get a handful of lifers for the participants. Among those were the small and subtly beautiful **Orange-headed Tanager**, a **Yellowish Pipit** that had eluded us earlier in the trip, the cute **Saffron-billed Sparrow**, a quick **Buff-bellied Hermit**, and a very cooperative pair of **Pantanal Snipe** that were the last surprise of the tour and a very rewarding find.

Once in Cuiabá, we checked in our hotel and headed for our farewell dinner at a typical Brazilian steakhouse near our hotel for a nice Brazilian experience to finish the tour in style! We did our final checklist and shared our thoughts about the best moments, birds, animals, experiences of the tour before saying goodbye.

**FINAL LIST:**

A total of **451** species of **BIRDS** were recorded on this tour. Out of this total, 35 were Heard Only (**H**) with 5 seen only by the Tour Leader (**L**). In terms of **MAMMALS**, we recorded **24** species. See the final list below:

	<b>Rheas (Rheidae)</b>	
1	Greater Rhea	<i>Rhea americana</i>
	<b>Tinamous (Tinamidae)</b>	
2	Gray Tinamou	<i>Tinamus tao</i>
3	H Great Tinamou	<i>Tinamus major</i>
4	H Cinereous Tinamou	<i>Crypturellus cinereus</i>
5	Undulated Tinamou	<i>Crypturellus undulatus</i>
6	H Brazilian Tinamou	<i>Crypturellus strigulosus</i>
7	Variegated Tinamou	<i>Crypturellus variegatus</i>
8	Small-billed Tinamou	<i>Crypturellus parvirostris</i>
	<b>Screamers (Anhimidae)</b>	
9	Southern Screamer	<i>Chauna torquata</i>
	<b>Ducks, Geese, and Waterfowl (Anatidae)</b>	
10	White-faced Whistling-Duck	<i>Dendrocygna viduata</i>
11	Black-bellied Whistling-Duck	<i>Dendrocygna autumnalis</i>
12	Muscovy Duck	<i>Cairina moschata</i>
13	Brazilian Teal	<i>Amazonetta brasiliensis</i>
	<b>Guan, Chachalacas, and Curassows (Cracidae)</b>	
14	Chaco Chachalaca	<i>Ortalis canicollis</i>
15	Spix's Guan	<i>Penelope jacquacu</i>
16	Chestnut-bellied Guan (E)	<i>Penelope ochrogaster</i>
17	White-throated Piping-Guan	<i>Pipile grayi</i>
18	Red-throated Piping-Guan	<i>Pipile cunjubi</i>
19	Razor-billed Curassow	<i>Mitu tuberosum</i>
20	Bare-faced Curassow	<i>Crax fasciolata</i>
	<b>Pigeons and Doves (Columbidae)</b>	
21	Rock Pigeon (I)	<i>Columba livia</i>
22	Pale-vented Pigeon	<i>Patagioenas cayennensis</i>
23	Picazuro Pigeon	<i>Patagioenas picazuro</i>
24	Plumbeous Pigeon	<i>Patagioenas plumbea</i>
25	Ruddy Ground Dove	<i>Columbina talpacoti</i>
26	Scaled Dove	<i>Columbina squammata</i>
27	Picui Ground Dove	<i>Columbina picui</i>
28	Blue Ground Dove	<i>Claravis pretiosa</i>
29	Long-tailed Ground Dove	<i>Uropelia campestris</i>
30	H Ruddy Quail-Dove	<i>Geotrygon montana</i>
31	White-tipped Dove	<i>Leptotila verreauxi</i>
32	Gray-fronted Dove	<i>Leptotila rufaxilla</i>
	<b>Cuckoos (Cuculidae)</b>	
33	Guira Cuckoo	<i>Guira guira</i>
34	Smooth-billed Ani	<i>Crotophaga ani</i>
35	Striped Cuckoo	<i>Tapera naevia</i>
36	Pavonine Cuckoo	<i>Dromococcyx pavoninus</i>
37	H Scaled Ground-Cuckoo (E)	<i>Neomorphus squamiger</i>
38	Squirrel Cuckoo	<i>Piaya cayana</i>

39	Black-bellied Cuckoo	<i>Piaya melanogaster</i>
	<b>Nightjars and Allies (Caprimulgidae)</b>	
40	Nacunda Nighthawk	<i>Chordeiles nacunda</i>
41	Lesser Nighthawk	<i>Chordeiles acutipennis</i>
42	Short-tailed Nighthawk	<i>Lurocalis semitorquatus</i>
43	Band-tailed Nighthawk	<i>Nyctiprogne leucopyga</i>
44	Blackish Nightjar	<i>Nyctipolus nigrescens</i>
45	Common Pauraque	<i>Nyctidromus albicollis</i>
46	Ladder-tailed Nightjar	<i>Hydropsalis climacocerca</i>
47	Ocellated Poorwill	<i>Nyctiphrynus ocellatus</i>
	<b>Potoos (Nyctibiidae)</b>	
48	Great Potoo	<i>Nyctibius grandis</i>
49	Common Potoo	<i>Nyctibius griseus</i>
	<b>Swifts (Apodidae)</b>	
50	White-collared Swift	<i>Streptoprocne zonaris</i>
51	Short-tailed Swift	<i>Chaetura brachyura</i>
52	Gray-rumped Swift	<i>Chaetura cinereiventris</i>
53	Fork-tailed Palm Swift	<i>Tachornis squamata</i>
	<b>Hummingbirds (Trochilidae)</b>	
54	White-necked Jacobin	<i>Florisuga mellivora</i>
55	Buff-bellied Hermit	<i>Phaethornis subochraceus</i>
56	White-vented Violetear	<i>Colibri serrirostris</i>
57	Black-throated Mango	<i>Anthracothorax nigricollis</i>
58	Long-billed Starthroat	<i>Heliomaster longirostris</i>
59	Amethyst Woodstar	<i>Calliphlox amethystina</i>
60	Glittering-bellied Emerald	<i>Chlorostilbon lucidus</i>
61	Fork-tailed Woodnymph	<i>Thalurania furcata</i>
62	Swallow-tailed Hummingbird	<i>Eupetomena macroura</i>
63	Versicolored Emerald	<i>Chrysuronia versicolor</i>
64	Glittering-throated Emerald	<i>Chionomesa fimbriata</i>
65	Gilded Hummingbird	<i>Hylocharis chrysura</i>
	<b>Rails, Gallinules, and Coots (Rallidae)</b>	
66	Gray-cowled Wood-Rail	<i>Aramides cajaneus</i>
67	Purple Gallinule	<i>Porphyrio martinica</i>
	<b>Finfoots (Heliornithidae)</b>	
68	Sungrebe	<i>Heliornis fulica</i>
	<b>Limpkin (Aramidae)</b>	
69	Limpkin	<i>Aramus guarauna</i>
	<b>Trumpeters (Psophiidae)</b>	
70	H Dark-winged Trumpeter (E)	<i>Psophia viridis</i>
	<b>Stilts and Avocets (Recurvirostridae)</b>	
71	Black-necked Stilt	<i>Himantopus mexicanus</i>
	<b>Plovers and Lapwings (Charadriidae)</b>	
72	Pied Plover (Lapwing)	<i>Hoploxypterus cayanus</i>
73	Southern Lapwing	<i>Vanellus chilensis</i>
74	Collared Plover	<i>Anarhynchus collaris</i>
	<b>Jacanas (Jacanidae)</b>	
75	Wattled Jacana	<i>Jacana jacana</i>
	<b>Sandpipers and Allies (Scolopacidae)</b>	
76	Pantanal Snipe	<i>Gallinago paraguaiae</i>

77	Pectoral Sandpiper	<i>Calidris melanotos</i>
	<b>Gulls, Terns, and Skimmers (Laridae)</b>	
78	Yellow-billed Tern	<i>Sternula superciliaris</i>
79	Large-billed Tern	<i>Phaetusa simplex</i>
80	Black Skimmer	<i>Rynchops niger</i>
	<b>Sunbittern (Eurypygidae)</b>	
81	Sunbittern	<i>Eurypyga helias</i>
	<b>Storks (Ciconiidae)</b>	
82	Jabiru	<i>Jabiru mycteria</i>
83	Wood Stork	<i>Mycteria americana</i>
	<b>Aningas (Anhingidae)</b>	
84	Anhinga	<i>Anhinga anhinga</i>
	<b>Cormorants and Shags (Phalacrocoracidae)</b>	
85	Neotropic Cormorant	<i>Nannopterum brasilianum</i>
	<b>Hérons, Egrets, and Bitterns (Ardeidae)</b>	
86	Zigzag Heron	<i>Zebrilus undulatus</i>
87	Rufescent Tiger-Heron	<i>Tigrisoma lineatum</i>
88	Cocoi Heron	<i>Ardea cocoi</i>
89	Great Egret	<i>Ardea alba</i>
90	Snowy Egret	<i>Egretta thula</i>
91	Little Blue Heron	<i>Egretta caerulea</i>
92	Western Cattle Egret	<i>Bubulcus ibis</i>
93	Striated Heron	<i>Butorides striata</i>
94	Whistling Heron	<i>Syrigma sibilatrix</i>
95	Capped Heron	<i>Pilherodius pileatus</i>
96	Black-crowned Night Heron	<i>Nycticorax nycticorax</i>
97	Boat-billed Heron	<i>Cochlearius cochlearius</i>
	<b>Ibises and Spoonbills (Threskiornithidae)</b>	
98	Green Ibis	<i>Mesembrinibis cayennensis</i>
99	Bare-faced Ibis	<i>Phimosus infuscatus</i>
100	Plumbeous Ibis	<i>Theristicus caerulescens</i>
101	Buff-necked Ibis	<i>Theristicus caudatus</i>
102	Roseate Spoonbill	<i>Platalea ajaja</i>
	<b>New World Vultures (Cathartidae)</b>	
103	King Vulture	<i>Sarcoramphus papa</i>
104	Black Vulture	<i>Coragyps atratus</i>
105	Turkey Vulture	<i>Cathartes aura</i>
106	Lesser Yellow-headed Vulture	<i>Cathartes burrovianus</i>
107	Greater Yellow-headed Vulture	<i>Cathartes melambrotus</i>
	<b>Hawks, Eagles, and Kites (Accipitridae)</b>	
108	Pearl Kite	<i>Gampsonyx swainsonii</i>
109	H Black Hawk-Eagle	<i>Spizaetus tyrannus</i>
110	Black-collared Hawk	<i>Busarellus nigricollis</i>
111	Snail Kite	<i>Rostrhamus sociabilis</i>
112	Double-toothed Kite	<i>Harpagus bidentatus</i>
113	Crane Hawk	<i>Geranospiza caerulescens</i>
114	Savanna Hawk	<i>Buteogallus meridionalis</i>
115	Great Black Hawk	<i>Buteogallus urubitinga</i>
116	Roadside Hawk	<i>Rupornis magnirostris</i>
117	White-browed Hawk	<i>Leucopternis kuhli</i>

118	Gray-lined Hawk	<i>Buteo nitidus</i>
	<b>Owls (Strigidae)</b>	
119	Tawny-bellied Screech-Owl	<i>Megascops watsonii</i>
120	Crested Owl	<i>Lophotrix cristata</i>
121	Great Horned Owl	<i>Bubo virginianus</i>
122	Amazonian Pygmy-Owl	<i>Glaucidium hardyi</i>
123	Ferruginous Pygmy-Owl	<i>Glaucidium brasilianum</i>
124	Burrowing Owl	<i>Athene cunicularia</i>
	<b>Trogons (Trogonidae)</b>	
125	Black-tailed Trogon	<i>Trogon melanurus</i>
126	Green-backed Trogon	<i>Trogon viridis</i>
127	Amazonian Trogon	<i>Trogon ramonianus</i>
128	Collared Trogon	<i>Trogon collaris</i>
	<b>Motmots (Momotidae)</b>	
129	Amazonian Motmot	<i>Momotus momota</i>
	<b>Kingfishers (Alcedinidae)</b>	
130	Ringed Kingfisher	<i>Megaceryle torquata</i>
131	Amazon Kingfisher	<i>Chloroceryle amazona</i>
132	American Pygmy Kingfisher	<i>Chloroceryle aenea</i>
133	Green Kingfisher	<i>Chloroceryle americana</i>
134	Green-and-rufous Kingfisher	<i>Chloroceryle inda</i>
	<b>Puffbirds (Bucconidae)</b>	
135	White-necked Puffbird	<i>Notharchus hyperrhynchus</i>
136	H Brown-banded Puffbird	<i>Notharchus ordii</i>
137	Spotted Puffbird	<i>Bucco tamatia</i>
138	Eastern Striolated-Puffbird	<i>Nystalus striolatus</i>
139	White-eared Puffbird	<i>Nystalus chacuru</i>
140	H Spot-backed Puffbird	<i>Nystalus maculatus</i>
141	Rufous-capped Nunlet	<i>Nonnula ruficapilla</i>
142	Black-fronted Nunbird	<i>Monasa nigrifrons</i>
143	White-fronted Nunbird	<i>Monasa morphoeus</i>
144	Swallow-winged Puffbird	<i>Chelidoptera tenebrosa</i>
	<b>Jacamars (Galbulidae)</b>	
145	Blue-cheeked Jacamar	<i>Galbula cyanicollis</i>
146	Rufous-tailed Jacamar	<i>Galbula ruficauda</i>
147	Bronzy Jacamar	<i>Galbula leucogastra</i>
148	Paradise Jacamar	<i>Galbula dea</i>
149	Great Jacamar	<i>Jacamerops aureus</i>
	<b>New World Barbets (Capitonidae)</b>	
150	Black-girdled Barbet	<i>Capito dayi</i>
	<b>Toucans (Ramphastidae)</b>	
151	Lettered Aracari	<i>Pteroglossus inscriptus</i>
152	Chestnut-eared Aracari	<i>Pteroglossus castanotis</i>
153	Red-necked Aracari	<i>Pteroglossus bitorquatus</i>
154	Gould's Toucanet	<i>Selenidera gouldii</i>
155	Toco Toucan	<i>Ramphastos toco</i>
156	White-throated Toucan	<i>Ramphastos tucanus</i>
157	Channel-billed Toucan	<i>Ramphastos vitellinus</i>
	<b>Woodpeckers (Picidae)</b>	
158	White-wedged Piculet	<i>Picumnus albosquamatus</i>



159	White Woodpecker	<i>Melanerpes candidus</i>
160	Yellow-tufted Woodpecker	<i>Melanerpes cruentatus</i>
161	Checkered Woodpecker	<i>Dryobates mixtus</i>
162	Little Woodpecker	<i>Dryobates passerinus</i>
163	Red-stained Woodpecker	<i>Dryobates affinis</i>
164	Red-necked Woodpecker	<i>Campephilus rubricollis</i>
165	Crimson-crested Woodpecker	<i>Campephilus melanoleucos</i>
166	Lineated Woodpecker	<i>Dryocopus lineatus</i>
167	Ringed Woodpecker	<i>Celeus torquatus</i>
168	Cream-colored Woodpecker	<i>Celeus flavus</i>
169	Chestnut Woodpecker	<i>Celeus elegans</i>
170	Pale-crested Woodpecker	<i>Celeus lugubris</i>
171	Yellow-throated Woodpecker	<i>Piculus flavigula</i>
172	Golden-green Woodpecker	<i>Piculus chrysochloros</i>
173	Green-barred Woodpecker	<i>Colaptes melanochloros</i>
174	Campo Flicker	<i>Colaptes campestris</i>
	<b>Seriemas (Cariamidae)</b>	
175	Red-legged Seriema	<i>Cariama cristata</i>
	<b>Falcons and Caracaras (Falconidae)</b>	
176	H Barred Forest-Falcon	<i>Micrastur ruficollis</i>
177	H Cryptic Forest-Falcon	<i>Micrastur mintoni</i>
178	Black Caracara	<i>Daptrius ater</i>
179	Red-throated Caracara	<i>Ibycter americanus</i>
180	Crested Caracara	<i>Caracara plancus</i>
181	Yellow-headed Caracara	<i>Daptrius chimachima</i>
182	Laughing Falcon	<i>Herpetotheres cachinnans</i>
183	Aplomado Falcon	<i>Falco femoralis</i>
184	Bat Falcon	<i>Falco rufigularis</i>
	<b>New World and African Parrots (Psittacidae)</b>	
185	Monk Parakeet	<i>Myiopsitta monachus</i>
186	Yellow-chevroned Parakeet	<i>Brotogeris chiriri</i>
187	Golden-winged Parakeet	<i>Brotogeris chrysoptera</i>
188	H Orange-cheeked Parrot	<i>Pyrilia barrabandi</i>
189	Scaly-headed Parrot	<i>Pionus maximiliani</i>
190	Blue-headed Parrot	<i>Pionus menstruus</i>
191	Yellow-faced Parrot	<i>Alipiopsitta xanthops</i>
192	Yellow-crowned Parrot	<i>Amazona ochrocephala</i>
193	Turquoise-fronted Parrot	<i>Amazona aestiva</i>
194	Mealy Parrot	<i>Amazona farinosa</i>
195	Dusky-billed Parrotlet	<i>Forpus modestus</i>
196	White-bellied Parrot	<i>Pionites leucogaster</i>
197	H Red-fan Parrot	<i>Deroptryus accipitrinus</i>
198	H Crimson-bellied Parakeet	<i>Pyrrhura perlata</i>
199	Santarem Parakeet	<i>Pyrrhura amazonum</i>
200	Hyacinth Macaw	<i>Anodorhynchus hyacinthinus</i>
201	Peach-fronted Parakeet	<i>Eupsittula aurea</i>
202	Nanday Parakeet	<i>Aratinga nenday</i>
203	Blue-winged Macaw	<i>Primolius maracana</i>
204	Yellow-collared Macaw	<i>Primolius auricollis</i>
205	Blue-and-yellow Macaw	<i>Ara ararauna</i>

206		Chestnut-fronted Macaw	<i>Ara severus</i>
207		Scarlet Macaw	<i>Ara macao</i>
208		Red-and-green Macaw	<i>Ara chloropterus</i>
209		Blue-crowned Parakeet	<i>Thectocercus acuticaudatus</i>
210		Red-shouldered Macaw	<i>Diopsittaca nobilis</i>
211		White-eyed Parakeet	<i>Psittacara leucophthalmus</i>
		<b>Typical Antbirds (Thamnophilidae)</b>	
212	H	Fasciated Antshrike	<i>Cymbilaimus lineatus</i>
213		Great Antshrike	<i>Taraba major</i>
214		Glossy Antshrike (E)	<i>Sakesphorus luctuosus</i>
215		Barred Antshrike	<i>Thamnophilus doliatus</i>
216		Rufous-winged Antshrike	<i>Thamnophilus torquatus</i>
217		Chestnut-backed Antshrike	<i>Thamnophilus palliatus</i>
218		Plain-winged Antshrike	<i>Thamnophilus schistaceus</i>
219		Natterer's Slaty-Antshrike	<i>Thamnophilus stictocephalus</i>
220		Planalto Slaty-Antshrike (E)	<i>Thamnophilus pelzelni</i>
221		Amazonian Antshrike	<i>Thamnophilus amazonicus</i>
222		Plain Antwren	<i>Dysithamnus mentalis</i>
223		Saturnine Antshrike	<i>Thamnomanes saturninus</i>
224		Cinereous Antshrike	<i>Thamnomanes caesius</i>
225		Plain-throated Antwren	<i>Isleria hauxwelli</i>
226		Spot-winged Antshrike	<i>Pygoptila stellaris</i>
227	H	Pygmy Antwren	<i>Myrmotherula brachyura</i>
228		Amazonian Streaked-Antwren	<i>Myrmotherula multostriata</i>
229		Long-winged Antwren	<i>Myrmotherula longipennis</i>
230		Gray Antwren	<i>Myrmotherula menetriesii</i>
231		Banded Antbird	<i>Dichrozona cincta</i>
232		Large-billed Antwren	<i>Herpsilochmus longirostris</i>
233		Rusty-winged Antwren	<i>Herpsilochmus frater</i>
234		Dot-winged Antwren	<i>Microrhopias quixensis</i>
235		Southern White-fringed Antwren	<i>Formicivora grisea</i>
236	H	Black-bellied Antwren	<i>Formicivora melanogaster</i>
237		Rusty-backed Antwren	<i>Formicivora rufa</i>
238		Striated Antbird	<i>Drymophila devillei</i>
239		Spix's Warbling-Antbird (E)	<i>Hypocnemis striata</i>
240		Manu Antbird	<i>Cercomacra manu</i>
241		Gray Antbird	<i>Cercomacra cinerascens</i>
242		Mato Grosso Antbird	<i>Cercomacra melanaria</i>
243	H	Western Fire-eye	<i>Pyriglena maura</i>
244		White-browed Antbird	<i>Myrmoborus leucophrys</i>
245		Band-tailed Antbird	<i>Hypocnemoides maculicauda</i>
246		Silvered Antbird	<i>Sclateria naevia</i>
247		Black-throated Antbird	<i>Myrmophylax atrothorax</i>
248		Bare-eyed Antbird (E)	<i>Rhegmatorhina gymnops</i>
249		Spot-backed Antbird	<i>Hylophylax naevius</i>
250		Dot-backed Antbird	<i>Hylophylax punctulatus</i>
251		Xingu Scale-backed Antbird (E)	<i>Willisornis vidua</i>
252	L	Black-spotted Bare-eye	<i>Phlegopsis nigromaculata</i>
		<b>Crescentchest (Melanopareiidae)</b>	
253		Collared Crescentchest	<i>Melanopareia torquata</i>

		<b>Antpittas (Grallariidae)</b>	
254		Alta Floresta Antpitta (E)	<i>Hylopezus whittakeri</i>
255	H	Tapajos Antpitta	<i>Myrmothera subcanescens</i>
		<b>Ovenbirds and Woodcreepers (Furnariidae)</b>	
256	H	Short-billed Leaf-tosser	<i>Sclerurus rufigularis</i>
257		Olivaceous Woodcreeper	<i>Sittasomus griseicapillus</i>
258	H	Long-tailed Woodcreeper	<i>Deconychura longicauda</i>
259		Cinnamon-throated Woodcreeper	<i>Dendrexetastes rufigula</i>
260		Long-billed Woodcreeper	<i>Nasica longirostris</i>
			<i>Xiphocolaptes</i>
261	H	Strong-billed Woodcreeper	<i>promeropirhynchus</i>
262		Great Rufous Woodcreeper	<i>Xiphocolaptes major</i>
263		Striped Woodcreeper	<i>Xiphorhynchus obsoletus</i>
264		Spix's Woodcreeper (E)	<i>Xiphorhynchus spixii</i>
265		Buff-throated Woodcreeper	<i>Xiphorhynchus guttatus</i>
266		Straight-billed Woodcreeper	<i>Dendroplex picus</i>
267		Red-billed Scythebill	<i>Campylorhamphus trochilirostris</i>
268		Narrow-billed Woodcreeper	<i>Lepidocolaptes angustirostris</i>
269		Dusky-capped Woodcreeper	<i>Lepidocolaptes fuscicapillus</i>
270	H	Point-tailed Palmcreeper	<i>Berlepschia rikeri</i>
271		Pale-legged Hornero	<i>Furnarius leucopus</i>
272		Rufous Hornero	<i>Furnarius rufus</i>
273		Dusky-cheeked Foliage-gleaner	<i>Anabazenops dorsalis</i>
274		Rufous-rumped Foliage-gleaner	<i>Philydor erythrocerum</i>
275		Chestnut-winged Hookbill	<i>Ancistrops strigilatus</i>
276		Chestnut-crowned Foliage-gleaner	<i>Automolus rufipileatus</i>
277		Ochre-throated Foliage-gleaner	<i>Automolus ochrolaemus</i>
278		Rufous-fronted Thornbird	<i>Phacellodomus rufifrons</i>
279		Greater Thornbird	<i>Phacellodomus ruber</i>
280		Rusty-backed Spinetail	<i>Cranioleuca vulpina</i>
281		Rufous Cacholote	<i>Pseudoseisura unirufa</i>
282		Yellow-chinned Spinetail	<i>Certhiaxis cinnamomeus</i>
283		Chotoy Spinetail	<i>Schoeniophylax phryganophilus</i>
284		White-lored Spinetail	<i>Synallaxis albilora</i>
285		Cinereous-breasted Spinetail	<i>Synallaxis hypospodia</i>
286		Sooty-fronted Spinetail	<i>Synallaxis frontalis</i>
		<b>Manakins (Pipridae)</b>	
287		Dwarf Tyrant-Manakin	<i>Tyranneutes stolzmanni</i>
288		Helmeted Manakin	<i>Antilophia galeata</i>
289	L	Blue-backed Manakin	<i>Chiroxiphia pareola</i>
290		Snow-capped Manakin	<i>Lepidothrix nattereri</i>
291	H	Flame-crowned Manakin	<i>Heterocercus linteatus</i>
292		Band-tailed Manakin	<i>Pipra fasciicauda</i>
293		White-crowned Manakin	<i>Pseudopipra pipra</i>
294		Red-headed Manakin	<i>Ceratopipra rubrocapilla</i>
		<b>Cotingas (Cotingidae)</b>	
295		Amazonian Umbrellabird	<i>Cephalopterus ornatus</i>
296		Spangled Cotinga	<i>Cotinga cayana</i>
297		Screaming Piha	<i>Lipaugus vociferans</i>
298		Pompadour Cotinga	<i>Xipholena punicea</i>

299	Bare-necked Fruitcrow	<i>Gymnoderus foetidus</i>
	<b>Tityras and Allies (Tityridae)</b>	
300	Black-tailed Tityra	<i>Tityra cayana</i>
301	Masked Tityra	<i>Tityra semifasciata</i>
302	Brown-winged Schiffornis	<i>Schiffornis turdina</i>
303	White-browed Purpleuft	<i>Iodopleura isabellae</i>
304	H White-winged Becard	<i>Pachyramphus polychopterus</i>
	<b>Tyrant Flycatchers (Tyrannidae)</b>	
305	H Wing-barred Piprites	<i>Piprites chloris</i>
306	White-crested Spadebill	<i>Platyrinchus platyrhynchos</i>
307	Ochre-bellied Flycatcher	<i>Mionectes oleagineus</i>
308	Sepia-capped Flycatcher	<i>Leptopogon amaurocephalus</i>
309	H Southern Antpipit	<i>Corythopsis delalandi</i>
310	Helmeted Pygmy-Tyrant	<i>Lophotriccus galeatus</i>
311	Pearly-vented Tody-Tyrant	<i>Hemitriccus margaritaceiventer</i>
312	H Zimmer's Tody-Tyrant	<i>Hemitriccus minimus</i>
313	Rusty-fronted Tody-Flycatcher	<i>Poecilatriccus latirostris</i>
314	Spotted Tody-Flycatcher	<i>Todirostrum maculatum</i>
315	Common Tody-Flycatcher	<i>Todirostrum cinereum</i>
316	Yellow-olive Flatbill	<i>Tolmomyias sulphurescens</i>
317	Ochre-ored Flatbill	<i>Tolmomyias flaviventris</i>
318	H Cliff Flycatcher	<i>Hirundinea ferruginea</i>
319	Southern Beardless-Tyrannulet	<i>Camptostoma obsoletum</i>
320	Yellow-crowned Tyrannulet	<i>Tyrannulus elatus</i>
321	Forest Elaenia	<i>Myiopagis gaimardii</i>
322	Gray-headed Elaenia	<i>Myiopagis caniceps</i>
323	Plain-crested Elaenia	<i>Elaenia cristata</i>
324	Guianan Tyrannulet	<i>Zimmerius acer</i>
325	Fulvous-crowned Scrub-Tyrant	<i>Euscarthmus meloryphus</i>
326	Plain Tyrannulet	<i>Inezia inornata</i>
327	H Euler's Flycatcher	<i>Lathrotriccus euleri</i>
328	Fuscous Flycatcher	<i>Cnemotriccus fuscatus</i>
329	Chapada Flycatcher	<i>Guyramemua affine</i>
330	Vermilion Flycatcher	<i>Pyrocephalus rubinus</i>
331	Crested Black-Tyrant	<i>Knipolegus lophotes</i>
332	Drab Water Tyrant	<i>Ochthornis littoralis</i>
333	White-rumped Monjita	<i>Xolmis velatus</i>
334	White-headed Marsh Tyrant	<i>Arundinicola leucocephala</i>
335	Black-backed Water-Tyrant	<i>Fluvicola albiventer</i>
336	Large-headed Flatbill	<i>Ramphotrigon megacephalum</i>
337	Rufous-tailed Flatbill	<i>Ramphotrigon ruficauda</i>
338	H Bright-rumped Attila	<i>Attila spadiceus</i>
339	Rufous Casiornis	<i>Casiornis rufus</i>
340	Grayish Mourner	<i>Rhytipterna simplex</i>
341	Dusky-capped Flycatcher	<i>Myiarchus tuberculifer</i>
342	Short-crested Flycatcher	<i>Myiarchus ferox</i>
343	Brown-crested Flycatcher	<i>Myiarchus tyrannulus</i>
344	Cattle Tyrant	<i>Machetornis rixosa</i>
345	Lesser Kiskadee	<i>Philohydor lictor</i>
346	Great Kiskadee	<i>Pitangus sulphuratus</i>

347	Boat-billed Flycatcher	<i>Megarynchus pitangua</i>
348	Rusty-margined Flycatcher	<i>Myiozetetes cayanensis</i>
349	Social Flycatcher	<i>Myiozetetes similis</i>
350	Variegated Flycatcher	<i>Empidonomus varius</i>
		<i>Empidonomus</i>
351	Crowned Slaty Flycatcher	<i>aurantioatrocristatus</i>
352	Sulphury Flycatcher	<i>Tyrannopsis sulphurea</i>
353	Tropical Kingbird	<i>Tyrannus melancholicus</i>
	<b>Vireos, Shrike-Babblers, and Erpornis (Vireonidae)</b>	
354	Rufous-browed Peppershrike	<i>Cyclarhis gujanensis</i>
355	H Ashy-headed Greenlet	<i>Hylophilus pectoralis</i>
356	Gray-chested Greenlet	<i>Hylophilus semicinereus</i>
357	L Slaty-capped Shrike-Vireo	<i>Vireolanius leucotis</i>
358	H Dusky-capped Greenlet	<i>Pachysylvia hypoxantha</i>
	<b>Crows, Jays, and Magpies (Corvidae)</b>	
359	Purplish Jay	<i>Cyanocorax cyanomelas</i>
360	Curl-crested Jay	<i>Cyanocorax cristatellus</i>
	<b>Donacobius (Donacobiidae)</b>	
361	Black-capped Donacobius	<i>Donacobius atricapilla</i>
	<b>Swallows (Hirundinidae)</b>	
362	Black-collared Swallow	<i>Pygochelidon melanoleuca</i>
363	White-banded Swallow	<i>Atticora fasciata</i>
364	Southern Rough-winged Swallow	<i>Stelgidopteryx ruficollis</i>
365	Gray-breasted Martin	<i>Progne chalybea</i>
366	White-winged Swallow	<i>Tachycineta albiventer</i>
	<b>Gnatcatchers (Poliopitidae)</b>	
367	H Long-billed Gnatwren	<i>Ramphocaenus melanurus</i>
368	Masked Gnatcatcher	<i>Poliopitila dumicola</i>
	<b>Wrens (Troglodytidae)</b>	
369	Tooth-billed Wren	<i>Odontorchilus cinereus</i>
370	House Wren	<i>Troglodytes aedon</i>
371	Thrush-like Wren	<i>Campylorhynchus turdinus</i>
372	Moustached Wren	<i>Pheugopedius genibarbis</i>
373	Buff-breasted Wren	<i>Cantorchilus leucotis</i>
374	Fawn-breasted Wren	<i>Cantorchilus guarayanus</i>
	<b>Mockingbirds and Thrashers (Mimidae)</b>	
375	Chalk-browed Mockingbird	<i>Mimus saturninus</i>
	<b>Thrushes and Allies (Turdidae)</b>	
376	Pale-breasted Thrush	<i>Turdus leucomelas</i>
377	H White-necked Thrush	<i>Turdus albicollis</i>
378	Rufous-bellied Thrush	<i>Turdus rufiventris</i>
	<b>Old World Sparrows (Passeridae)</b>	
379	House Sparrow (I)	<i>Passer domesticus</i>
	<b>Wagtails and Pipits (Motacillidae)</b>	
380	Yellowish Pipit	<i>Anthus chii</i>
	<b>Finches, Euphonias, and Allies (Fringillidae)</b>	
381	Purple-throated Euphonia	<i>Euphonia chlorotica</i>
382	Golden-bellied Euphonia	<i>Euphonia chrysopasta</i>
383	Thick-billed Euphonia	<i>Euphonia laniirostris</i>
384	Rufous-bellied Euphonia	<i>Euphonia rufiventris</i>

	<b>New World Sparrows (Passerellidae)</b>	
385	Grassland Sparrow	<i>Ammodramus humeralis</i>
386	Saffron-billed Sparrow	<i>Arremon flavirostris</i>
387	Rufous-collared Sparrow	<i>Zonotrichia capensis</i>
	<b>Troupials and Allies (Icteridae)</b>	
388	Red-breasted Meadowlark	<i>Leistes militaris</i>
389	Green Oropendola	<i>Psarocolius viridis</i>
390	Crested Oropendola	<i>Psarocolius decumanus</i>
391	Olive Oropendola	<i>Psarocolius bifasciatus</i>
392	Solitary Black Cacique	<i>Cacicus solitarius</i>
393	Yellow-rumped Cacique	<i>Cacicus cela</i>
394	Epaulet Oriole	<i>Icterus cayanensis</i>
395	Variable Oriole	<i>Icterus pyrrhopterus</i>
396	Orange-backed Troupial	<i>Icterus croconotus</i>
397	Shiny Cowbird	<i>Molothrus bonariensis</i>
398	Giant Cowbird	<i>Molothrus oryzivorus</i>
399	Scarlet-headed Blackbird	<i>Amblyramphus holosericeus</i>
400	Chopi Blackbird	<i>Gnorimopsar chopi</i>
401	Grayish Baywing	<i>Agelaioides badius</i>
402	Unicolored Blackbird	<i>Agelasticus cyanopus</i>
	<b>New World Warblers (Parulidae)</b>	
403	Tropical Parula	<i>Setophaga pitiayumi</i>
		<i>Basileuterus culicivorus</i>
404	Golden-crowned Warbler	<i>auricapilla</i>
		<i>Basileuterus culicivorus</i>
405	Golden-crowned Warbler (White-bellied)	<i>hypoleucus</i>
406	Flavescent Warbler	<i>Myiothlypis flaveola</i>
	<b>Cardinals and Allies (Cardinalidae)</b>	
407	Red-crowned Ant-Tanager	<i>Habia rubica</i>
408	Rose-breasted Chat	<i>Granatellus pelzelni</i>
	<b>Tanagers and Allies (Thraupidae)</b>	
409	Red-crested Cardinal	<i>Paroaria coronata</i>
410	Red-capped Cardinal	<i>Paroaria gularis</i>
411	Yellow-billed Cardinal	<i>Paroaria capitata</i>
412	Black-faced Tanager	<i>Schistochlamys melanopsis</i>
413	White-banded Tanager	<i>Neothraupis fasciata</i>
414	Hooded Tanager	<i>Nemosia pileata</i>
415	Orange-headed Tanager	<i>Thlypopsis sordida</i>
416	Gray-headed Tanager	<i>Eucometis penicillata</i>
417	Flame-crested Tanager	<i>Loriotus cristatus</i>
418	White-shouldered Tanager	<i>Loriotus luctuosus</i>
419	White-lined Tanager	<i>Tachyphonus rufus</i>
420	White-winged Shrike-Tanager	<i>Lanio versicolor</i>
421	Silver-beaked Tanager	<i>Ramphocelus carbo</i>
422	Blue-gray Tanager	<i>Thraupis episcopus</i>
423	Sayaca Tanager	<i>Thraupis sayaca</i>
424	Palm Tanager	<i>Thraupis palmarum</i>
425	Burnished-buff Tanager	<i>Stilpnia cayana</i>
426	Masked Tanager	<i>Stilpnia nigrocincta</i>
427	Turquoise Tanager	<i>Tangara mexicana</i>
428	Paradise Tanager	<i>Tangara chilensis</i>

429	Opal-rumped Tanager	<i>Tangara velia</i>
430	Bay-headed Tanager	<i>Tangara gyrola</i>
431	Black-faced Dacnis	<i>Dacnis lineata</i>
432	Yellow-bellied Dacnis	<i>Dacnis flaviventer</i>
433	Blue Dacnis	<i>Dacnis cayana</i>
434	Purple Honeycreeper	<i>Cyanerpes caeruleus</i>
435	L Green Honeycreeper	<i>Chlorophanes spiza</i>
436	Chestnut-vented Conebill	<i>Conirostrum speciosum</i>
437	White-rumped Tanager	<i>Cypsnagra hirundinacea</i>
438	Saffron Finch	<i>Sicalis flaveola</i>
439	Wedge-tailed Grass-Finch	<i>Emberizoides herbicola</i>
440	L Blue-black Grassquit	<i>Volatinia jacarina</i>
441	White-bellied Seedeater	<i>Sporophila leucoptera</i>
442	Chestnut-bellied Seed-Finch	<i>Sporophila angolensis</i>
443	Double-collared Seedeater	<i>Sporophila caerulescens</i>
444	Plumbeous Seedeater	<i>Sporophila plumbea</i>
445	Rusty-collared Seedeater	<i>Sporophila collaris</i>
446	Red-crested Finch	<i>Coryphospingus cucullatus</i>
447	Bananaquit	<i>Coereba flaveola</i>
448	Black-throated Saltator	<i>Saltatricula atricollis</i>
449	Buff-throated Saltator	<i>Saltator maximus</i>
450	Bluish-gray Saltator	<i>Saltator coerulescens</i>
451	Slate-colored Grosbeak	<i>Saltator grossus</i>

**Mammals**

1	Six-banded Armadillo (Yellow Armadillo)	<i>Euphractus sexcinctus</i>
2	Proboscis Bat (Long-nosed Bat)	<i>Rhynchonycteris naso</i>
3	Tufted Capuchin (Brown Capuchin)	<i>Cebus apella</i>
4	Black-striped Capuchin	<i>Cebus libidinosus</i>
5	H Red-bellied (Dusky) Titi	<i>Callicebus moloch</i>
6	White-nosed Saki	<i>Chiropotes albinasus</i>
7	Azara's Night Monkey	<i>Aotus azarae</i>
8	Black-faced Black Spider Monkey	<i>Ateles chamek</i>
9	H White-cheeked Spider Monkey	<i>Ateles marginatus</i>
10	Crab-eating Fox	<i>Cerdocyon thous</i>
11	Jaguarundi	<i>Herpailurus yagouaroundi</i>
12	Jaguar	<i>Panthera onca</i>
13	Neotropical River Otter	<i>Lontra longicaudis</i>
14	Giant Otter	<i>Pteronura brasiliensis</i>
15	South American Coati	<i>Nasua nasua</i>
16	Brazilian Tapir	<i>Tapirus terrestris</i>
17	Wild Boar (Feral Pig) (I)	<i>Sus scrofa</i>
18	Collared Peccary	<i>Pecari tajacu</i>
19	White-lipped Peccary	<i>Tayassu pecari</i>
20	Marsh Deer	<i>Blastocerus dichotomus</i>
21	Pampas Deer	<i>Ozotoceros bezoarticus</i>
22	Capybara	<i>Hydrochaeris hydrochaeris</i>
23	Azara's Agouti	<i>Dasyprocta azarae</i>
24	Brazilian Rabbit	<i>Sylvilagus brasiliensis</i>